

10/ 820,200

=> d his

(FILE 'HOME' ENTERED AT 10:24:31 ON 12 JAN 2006)

FILE 'MEDLINE, EMBASE, BIOSIS, BIOTECHDS, SCISEARCH, HCAPLUS, NTIS, LIFESCI' ENTERED AT 10:25:20 ON 12 JAN 2006

L1 53363 S ALPHA (W) AMYLASE?
L2 352188 S FUNGAMYL OR FUNGAL
L3 585 S L1(A)L2
L4 140 S (THREMOSTABILITY OR STABILITY OR "PH") AND L3
L5 92 DUP REM L4 (48 DUPLICATES REMOVED)
E BISGARD H/AU
E BISGARD-FRANTZEN H/AU
E FRANTZEN HENRIK/AU
L6 3 S E4
E SVENDSEN A/AU
L7 412 S E3
E PEDERSEN S/AU
L8 1382 S E3
L9 1795 S L6 OR L7 OR L8
L10 7 S L3 AND L9
L11 4 DUP REM L10 (3 DUPLICATES REMOVED)

=>

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:sssptal652mxm

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
NEWS 2 "Ask CAS" for self-help around the clock
NEWS 3 DEC 05 CASREACT(R) - Over 10 million reactions available
NEWS 4 DEC 14 2006 MeSH terms loaded in MEDLINE/LMEDLINE
NEWS 5 DEC 14 2006 MeSH terms loaded for MEDLINE file segment of TOXCENTER
NEWS 6 DEC 14 CA/CAPLUS to be enhanced with updated IPC codes
NEWS 7 DEC 21 IPC search and display fields enhanced in CA/CAPLUS with the
IPC reform
NEWS 8 DEC 23 New IPC8 SEARCH, DISPLAY, and SELECT fields in USPATFULL/
USPAT2

NEWS EXPRESS JANUARY 03 CURRENT VERSION FOR WINDOWS IS V8.01,
CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
AND CURRENT DISCOVER FILE IS DATED 19 DECEMBER 2005.
V8.0 USERS CAN OBTAIN THE UPGRADE TO V8.01 AT
<http://download.cas.org/express/v8.0-Discover/>

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS INTER General Internet Information
NEWS LOGIN Welcome Banner and News Items
NEWS PHONE Direct Dial and Telecommunication Network Access to STN
NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that
specific topic.

All use of STN is subject to the provisions of the STN Customer
agreement. Please note that this agreement limits use to scientific
research. Use for software development or design or implementation
of commercial gateways or other similar uses is prohibited and may
result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 10:24:31 ON 12 JAN 2006

| | | |
|--|------------|---------|
| => file medline embase biosis biotechds scisearch hcaplus ntis lifesci | | |
| COST IN U.S. DOLLARS | SINCE FILE | TOTAL |
| | ENTRY | SESSION |
| FULL ESTIMATED COST | 0.21 | 0.21 |

FILE 'MEDLINE' ENTERED AT 10:25:20 ON 12 JAN 2006

FILE 'EMBASE' ENTERED AT 10:25:20 ON 12 JAN 2006
Copyright (c) 2006 Elsevier B.V. All rights reserved.

FILE 'BIOSIS' ENTERED AT 10:25:20 ON 12 JAN 2006
Copyright (c) 2006 The Thomson Corporation

FILE 'BIOTECHDS' ENTERED AT 10:25:20 ON 12 JAN 2006
COPYRIGHT (C) 2006 THE THOMSON CORPORATION

FILE 'SCISEARCH' ENTERED AT 10:25:20 ON 12 JAN 2006
Copyright (c) 2006 The Thomson Corporation

FILE 'HCAPLUS' ENTERED AT 10:25:20 ON 12 JAN 2006
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'NTIS' ENTERED AT 10:25:20 ON 12 JAN 2006
Compiled and distributed by the NTIS, U.S. Department of Commerce.
It contains copyrighted material.
All rights reserved. (2006)

FILE 'LIFESCI' ENTERED AT 10:25:20 ON 12 JAN 2006
COPYRIGHT (C) 2006 Cambridge Scientific Abstracts (CSA)

=> s alpha (w) amylase2
2 IS NOT A RECOGNIZED COMMAND
The previous command name entered was not recognized by the system.
For a list of commands available to you in the current file, enter
"HELP COMMANDS" at an arrow prompt (=>).

=> s alpha (w) amylase?
L1 53363 ALPHA (W) AMYLASE?

=> s fungamyl or fungal
L2 352188 FUNGAMYL OR FUNGAL

=> s l1(a)l2
L3 585 L1(A) L2

=> s (thremostability or stability or "pH") and l3
L4 140 (THREMOSTABILITY OR STABILITY OR "PH") AND L3

=> dup rem l4
PROCESSING COMPLETED FOR L4
L5 92 DUP REM L4 (48 DUPLICATES REMOVED)

=> d 1-92 ibib

L5 ANSWER 1 OF 92 BIOTECHDS COPYRIGHT 2006 THE THOMSON CORP. on STN
ACCESSION NUMBER: 2006-00921 BIOTECHDS
TITLE: Producing a fermentation product (preferably ethanol) from a
starch-containing material, comprises treatment with
alpha-amylase, and then alpha-glucosidase, before
fermentation with a fermenting organism;
involving fermentation, alpha-amylase and
alpha-glucosidase for use as fuel
AUTHOR: BHARGAVA S; FRISNER H; BISGARD-FRANTZEN H; TAMS J W
PATENT ASSIGNEE: NOVOZYMES NORTH AMERICA INC; NOVOZYMES AS
PATENT INFO: WO 2005113785 1 Dec 2005
APPLICATION INFO: WO 2005-US16390 11 May 2005
PRIORITY INFO: US 2004-633293 3 Dec 2004; US 2004-570727 13 May 2004
DOCUMENT TYPE: Patent
LANGUAGE: English
OTHER SOURCE: WPI: 2006-010609 [01]

L5 ANSWER 2 OF 92 HCAPLUS COPYRIGHT 2006 ACS on STN
ACCESSION NUMBER: 2005:341499 HCAPLUS

DOCUMENT NUMBER: 142:391341
 TITLE: Manufacture of bread from wheat flour and grain
 INVENTOR(S): Malkina, V. D.; Markitanova, O. A.; Krivov, S. I.
 PATENT ASSIGNEE(S): Russia
 SOURCE: Russ., No pp. given
 CODEN: RUXXE7
 DOCUMENT TYPE: Patent
 LANGUAGE: Russian
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|------------------------|------|----------|-----------------|----------|
| RU 2249960 | C1 | 20050420 | RU 2004-110374 | 20040407 |
| PRIORITY APPLN. INFO.: | | | RU 2004-110374 | 20040407 |

L5 ANSWER 3 OF 92 MEDLINE on STN DUPLICATE 1
 ACCESSION NUMBER: 2005346848 MEDLINE
 DOCUMENT NUMBER: PubMed ID: 15998153
 TITLE: Impact of Fusarium culmorum on the polysaccharides of wheat flour.
 AUTHOR: Wang Jinhua; Pawelzik Elke; Weinert Joachim; Wolf Gerhard A
 CORPORATE SOURCE: Institute of Agricultural Chemistry, University of Gottingen, Carl-Sprengel-Weg 1, D-37075 Gottingen, Germany.
 SOURCE: Journal of agricultural and food chemistry, (2005 Jul 13) 53 (14) 5818-23.
 Journal code: 0374755. ISSN: 0021-8561.
 PUB. COUNTRY: United States
 DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)
 LANGUAGE: English
 FILE SEGMENT: Priority Journals
 ENTRY MONTH: 200508
 ENTRY DATE: Entered STN: 20050707
 Last Updated on STN: 20050818
 Entered Medline: 20050817

L5 ANSWER 4 OF 92 HCAPLUS COPYRIGHT 2006 ACS on STN
 ACCESSION NUMBER: 2005:328171 HCAPLUS
 DOCUMENT NUMBER: 143:77038
 TITLE: Stability of 5-methyltetrahydrofolate in frozen fresh fruits and vegetables
 AUTHOR(S): Phillips, Katherine M.; Wunderlich, Kelli M.; Holden, Joanne M.; Exler, Jacob; Gebhardt, Susan E.; Haytowitz, David B.; Beecher, Gary R.; Doherty, Robert F.
 CORPORATE SOURCE: Department of Biochemistry, Virginia Tech., Blacksburg, VA, 24061-0308, USA
 SOURCE: Food Chemistry (2005), 92(4), 587-595
 CODEN: FOCHDJ; ISSN: 0308-8146
 PUBLISHER: Elsevier B.V.
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 REFERENCE COUNT: 21 THERE ARE 21 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 5 OF 92 BIOTECHDS COPYRIGHT 2006 THE THOMSON CORP. on STN
 ACCESSION NUMBER: 2005-04822 BIOTECHDS
 TITLE: Producing soluble starch hydrolysate comprises subjecting aqueous granular starch slurry below initial gelatinization temperature of granular starch to action of Glycoside Hydrolase Family13 enzyme, and fungal amylase; fungus alpha-amylase, beta-amylase or glucoamylase-catalyzed starch hydrolysis for use in high fructose starch-based syrup, ethanol or sweetener production

AUTHOR: VIKSOE-NIELSEN A; ANDERSEN C; PEDERSEN S; HJORT C
PATENT ASSIGNEE: NOVOZYMES AS
PATENT INFO: WO 2004113551 29 Dec 2004
APPLICATION INFO: WO 2004-DK456 25 Jun 2004
PRIORITY INFO: DK 2003-1568 24 Oct 2003; DK 2003-949 25 Jun 2003
DOCUMENT TYPE: Patent
LANGUAGE: English
OTHER SOURCE: WPI: 2005-075255 [08]

L5 ANSWER 6 OF 92 BIOTECHDS COPYRIGHT 2006 THE THOMSON CORP. on STN
ACCESSION NUMBER: 2004-10114 BIOTECHDS
TITLE: Novel hemicellulase NBE012, NBE021, NBE022, NBE064, NBE075 or
NBE092 derived from Aspergillus niger, useful for preparing
dough and/or baked product;
involving vector-mediated gene transfer and expression in
host cell for use in Aspergillus niger infection diagnosis
AUTHOR: FOLKERS U; FRITZ A; GERHARD B; KLUGBAUER S; SPREAFICO F;
WAGNER C; BOER D L; MEIMA R B
PATENT ASSIGNEE: DSM IP ASSETS BV
PATENT INFO: WO 2004018662 4 Mar 2004
APPLICATION INFO: WO 2003-EP9147 15 Aug 2003
PRIORITY INFO: EP 2002-102298 3 Sep 2002; EP 2002-102152 19 Aug 2002
DOCUMENT TYPE: Patent
LANGUAGE: English
OTHER SOURCE: WPI: 2004-226842 [21]

L5 ANSWER 7 OF 92 BIOSIS COPYRIGHT (c) 2006 The Thomson Corporation on STN
DUPLICATE 2
ACCESSION NUMBER: 2005:82402 BIOSIS
DOCUMENT NUMBER: PREV200500080559
TITLE: Influence of enzymes on rheological, microstructure and
quality characteristics of parotta - an unleavened Indian
flat bread.
AUTHOR(S): Prabhasankar, P.; Indrani, D.; Jyotsna, R.; Rao, G.
Venkateswara [Reprint Author]
CORPORATE SOURCE: Flour Milling Baking and Confectionery Technol Dept, Cent
Food Technol Res Inst, Mysore, Karnataka, 570013, India
mbt@cscftri.res.nic.in
SOURCE: Journal of the Science of Food and Agriculture, (December
2004) Vol. 84, No. 15, pp. 2128-2134. print.
ISSN: 0022-5142 (ISSN print).
DOCUMENT TYPE: Article
LANGUAGE: English
ENTRY DATE: Entered STN: 23 Feb 2005
Last Updated on STN: 23 Feb 2005

L5 ANSWER 8 OF 92 MEDLINE on STN DUPLICATE 3
ACCESSION NUMBER: 2004343485 MEDLINE
DOCUMENT NUMBER: PubMed ID: 15246667
TITLE: Production of fungal alpha-
amylase by Saccharomyces kluyveri in
glucose-limited cultivations.
AUTHOR: Moller Kasper; Sharif Mostafa Z; Olsson Lisbeth
CORPORATE SOURCE: Center for Microbial Biotechnology, BioCentrum-DTU,
Building 223, Technical University of Denmark, 2800 Kgs.
Lyngby, Denmark.. km@biocentrum.dtu.dk
SOURCE: Journal of biotechnology, (2004 Aug 5) 111 (3) 311-8.
Journal code: 8411927. ISSN: 0168-1656.
PUB. COUNTRY: Netherlands
DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)
LANGUAGE: English
FILE SEGMENT: Priority Journals
ENTRY MONTH: 200411
ENTRY DATE: Entered STN: 20040713

Last Updated on STN: 20041219
Entered Medline: 20041130

L5 ANSWER 9 OF 92 HCAPLUS COPYRIGHT 2006 ACS on STN
ACCESSION NUMBER: 2003:656930 HCAPLUS
DOCUMENT NUMBER: 139:196392
TITLE: Use of cyclodextrin glycosyltransferase, glucoamylase
and α -amylase for generating soluble starch
hydrolysates for synthesis of high fructose
starch-based syrups, fuel and potable ethanol
INVENTOR(S): Norman, Barrie Edmund; Vikso-Nielsen, Anders; Olsen,
Hans Sejr; Pedersen, Sven
PATENT ASSIGNEE(S): Novozymes A/S, Den.
SOURCE: PCT Int. Appl., 40 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|------------------------|--|----------|-----------------|------------|
| WO 2003068976 | A2 | 20030821 | WO 2003-DK84 | 20030210 |
| WO 2003068976 | A3 | 20031224 | | |
| W: | AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW | | | |
| RW: | GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG | | | |
| CA 2474082 | AA | 20030821 | CA 2003-2474082 | 20030210 |
| EP 1476556 | A2 | 20041117 | EP 2003-702374 | 20030210 |
| R: | AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK | | | |
| US 2005107332 | A1 | 20050519 | US 2003-504543 | 20030210 |
| PRIORITY APPLN. INFO.: | | | DK 2002-227 | A 20020214 |
| | | | DK 2002-1291 | A 20020902 |
| | | | WO 2003-DK84 | W 20030210 |

L5 ANSWER 10 OF 92 BIOSIS COPYRIGHT (c) 2006 The Thomson Corporation on
STN DUPLICATE 4
ACCESSION NUMBER: 2004:227284 BIOSIS
DOCUMENT NUMBER: PREV200400227654
TITLE: Scanning electron microscopy, rheological characteristics,
and bread-baking performance of wheat-flour dough as
affected by enzymes.
AUTHOR(S): Indrani, D.; Prabhasankar, P.; Rajiv, J.; Rao, G.
Venkateswara [Reprint Author]
CORPORATE SOURCE: Flour Milling Baking and Confectionery Technology Dept.,
Central Food Technological Research Inst., Mysore, 570 013,
India
mbt@cscftri.ren.nic.in
SOURCE: Journal of Food Science, (November/December 2003) Vol. 68,
No. 9, pp. 2804-2809. print.
CODEN: JFDSAZ. ISSN: 0022-1147.
DOCUMENT TYPE: Article
LANGUAGE: English
ENTRY DATE: Entered STN: 28 Apr 2004
Last Updated on STN: 28 Apr 2004

L5 ANSWER 11 OF 92 HCAPLUS COPYRIGHT 2006 ACS on STN
 ACCESSION NUMBER: 2003:997295 HCAPLUS
 DOCUMENT NUMBER: 141:102002
 TITLE: Heat inactivation of *Aspergillus oryzae*
 α -amylase at high and reduced water content
 AUTHOR(S): Samborska, K.; Guiavarc'h, Y.; Van Loey, A.;
 Hendrickx, M.
 CORPORATE SOURCE: Laboratory of Food Technology, Department of Food and
 Microbial Technology, Katholieke Universiteit Leuven,
 Heverlee, B-3001, Belg.
 SOURCE: Mededelingen - Faculteit Landbouwkundige en Toegepaste
 Biologische Wetenschappen (Universiteit Gent) (2003),
 68(3), 247-250
 CODEN: MFLBER; ISSN: 1373-7503
 PUBLISHER: Universiteit Gent, Faculteit Landbouwkundige en
 Toegepaste Biologische Wetenschappen
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS
 RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 12 OF 92 BIOSIS COPYRIGHT (c) 2006 The Thomson Corporation on
 STN DUPLICATE 5
 ACCESSION NUMBER: 2003:138235 BIOSIS
 DOCUMENT NUMBER: PREV200300138235
 TITLE: Effect of alpha-amylases on dough properties during Turkish
 hearth bread production.
 AUTHOR(S): Dogan, Ismail S. [Reprint Author]
 CORPORATE SOURCE: Department of Food Engineering, College of Agriculture,
 Yuzuncu Yil University, 65080, Van, Turkey
 isdogan@yyu.edu.tr
 SOURCE: International Journal of Food Science & Technology,
 (February 2003) Vol. 38, No. 2, pp. 209-216. print.
 CODEN: IJFTEZ. ISSN: 0950-5423.
 DOCUMENT TYPE: Article
 LANGUAGE: English
 ENTRY DATE: Entered STN: 12 Mar 2003
 Last Updated on STN: 12 Mar 2003

L5 ANSWER 13 OF 92 BIOSIS COPYRIGHT (c) 2006 The Thomson Corporation on
 STN DUPLICATE 6
 ACCESSION NUMBER: 2004:90622 BIOSIS
 DOCUMENT NUMBER: PREV200400092494
 TITLE: Pilot scale roduction of a lager beer from a grist
 containing 50% unmalted sorghum.
 AUTHOR(S): Goode, Declan L.; Arendt, Elke K. [Reprint Author]
 CORPORATE SOURCE: Department of Food Science, Food Technology and Nutrition,
 National Unvers, University College Cork, Cork, Ireland
 e.arendt@ucc.ie
 SOURCE: Journal of the Institute of Brewing, (2003) Vol. 109, No.
 3, pp. 208-217. print.
 ISSN: 0046-9750.
 DOCUMENT TYPE: Article
 LANGUAGE: English
 ENTRY DATE: Entered STN: 11 Feb 2004
 Last Updated on STN: 11 Feb 2004

L5 ANSWER 14 OF 92 BIOSIS COPYRIGHT (c) 2006 The Thomson Corporation on
 STN DUPLICATE 7
 ACCESSION NUMBER: 2003:322683 BIOSIS
 DOCUMENT NUMBER: PREV200300322683
 TITLE: Optimization of mashing conditions when mashing with
 unmalted sorghum and commercial enzymes.
 AUTHOR(S): Goode, Declan L.; Halbert, Catherine; Arendt, Elke K.

[Reprint Author]
CORPORATE SOURCE: Department of Food and Nutritional Sciences and National
Food Biotechnology Centre, National University of Ireland,
University College Cork, Cork, Ireland
e.arendt@ucc.ie
SOURCE: Journal of the American Society of Brewing Chemists, (2003)
Vol. 61, No. 2, pp. 69-78. print.
CODEN: JSBCD3. ISSN: 0361-0470.
DOCUMENT TYPE: Article
LANGUAGE: English
ENTRY DATE: Entered STN: 9 Jul 2003
Last Updated on STN: 9 Jul 2003

L5 ANSWER 15 OF 92 HCAPLUS COPYRIGHT 2006 ACS on STN
ACCESSION NUMBER: 2005:1006572 HCAPLUS
TITLE: Studies on the production of high maltose syrup
AUTHOR(S): Xu, Yue
CORPORATE SOURCE: Shanghai Office, Y and Y International Tech Co.,
Shanghai, Peop. Rep. China
SOURCE: ASEAN Food Journal (2003), 12(1), 15-20
CODEN: AFJQEQ; ISSN: 0127-7324
PUBLISHER: Universiti Putra Malaysia Press
DOCUMENT TYPE: Journal
LANGUAGE: English
REFERENCE COUNT: 9 THERE ARE 9 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 16 OF 92 BIOTECHDS COPYRIGHT 2006 THE THOMSON CORP. on STN
ACCESSION NUMBER: 2002-17360 BIOTECHDS
TITLE: Producing ethanol from starch-containing material e.g.,
tubers, roots, whole grain, for use in fuel, by fermentation
comprises carrying out a secondary liquefaction step in the
presence of a thermostable acid alpha-amylase;
alcohol preparation by bacterium or fungus fermentation
and enzyme-catalyzed reaction
AUTHOR: VEIT C; FELBY C; FUGLSANG C C
PATENT ASSIGNEE: NOVOZYMES AS; NOVOZYMES NORTH AMERICA INC
PATENT INFO: WO 2002038787 16 May 2002
APPLICATION INFO: WO 2000-DK737 10 Nov 2000
PRIORITY INFO: US 2000-256015 15 Dec 2000
DOCUMENT TYPE: Patent
LANGUAGE: English
OTHER SOURCE: WPI: 2002-479793 [51]

L5 ANSWER 17 OF 92 BIOTECHDS COPYRIGHT 2006 THE THOMSON CORP. on STN
ACCESSION NUMBER: 2002-12965 BIOTECHDS
TITLE: Liquid composition for preparing dough and baked product,
comprises enzyme(s), ascorbic acid and polyol(s);
use of enzyme mixture in production of dough and baked
products such as pizza
AUTHOR: SCHOONEVELD-BERGMANS M E F; RODRIGUEZ ARANDA J
PATENT ASSIGNEE: DSM NV
PATENT INFO: WO 2002026044 4 Apr 2002
APPLICATION INFO: WO 2000-EP10456 28 Sep 2000
PRIORITY INFO: EP 2000-203395 28 Sep 2000
DOCUMENT TYPE: Patent
LANGUAGE: English
OTHER SOURCE: WPI: 2002-352096 [38]

L5 ANSWER 18 OF 92 HCAPLUS COPYRIGHT 2006 ACS on STN
ACCESSION NUMBER: 2003:1003933 HCAPLUS
DOCUMENT NUMBER: 140:4376
TITLE: Lipid-protected α -amylase for retardation of
staling in baked goods

INVENTOR(S) : Horn, Merritt C.
 PATENT ASSIGNEE(S) : USA
 SOURCE: U.S. Pat. Appl. Publ., 7 pp., Cont.-in-part of U.S.
 Ser. No. 377,678, abandoned.
 CODEN: USXXCO
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 2
 PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|---------------|------|----------|-----------------|----------|
| US 2002058086 | A1 | 20020516 | US 2001-921673 | 20010803 |
| US 6635289 | B2 | 20031021 | | |

PRIORITY APPLN. INFO.: US 1999-377678 B2 19990819

L5 ANSWER 19 OF 92 MEDLINE on STN DUPLICATE 8
 ACCESSION NUMBER: 2002616980 MEDLINE
 DOCUMENT NUMBER: PubMed ID: 12374409
 TITLE: Measurement of alpha-amylase activity in white wheat flour,
 milled malt, and microbial enzyme preparations, using the
 Ceralpha assay: collaborative study.
 AUTHOR: McCleary Barry V; McNally Marian; Monaghan Dymrna; Mugford
 David Cbarry@megazyme.com
 SOURCE: Journal of AOAC International, (2002 Sep-Oct) 85 (5)
 1096-102.
 Journal code: 9215446. ISSN: 1060-3271.
 PUB. COUNTRY: United States
 DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)
 LANGUAGE: English
 FILE SEGMENT: Priority Journals
 ENTRY MONTH: 200304
 ENTRY DATE: Entered STN: 20021011
 Last Updated on STN: 20030402
 Entered Medline: 20030401

L5 ANSWER 20 OF 92 BIOSIS COPYRIGHT (c) 2006 The Thomson Corporation on
 STN DUPLICATE 9
 ACCESSION NUMBER: 2003:212802 BIOSIS
 DOCUMENT NUMBER: PREV200300212802
 TITLE: Mashing studies with unmalted sorghum and malted barley.
 AUTHOR(S): Goode, Declan L.; Halbert, Catherine; Arendt, Elke K.
 [Reprint Author]
 CORPORATE SOURCE: Department of Food and Nutritional Sciences, National
 University of Ireland, University College Cork, Cork,
 Ireland
 e.arendt@ucc.ie
 SOURCE: Journal of the Institute of Brewing, (2002) Vol. 108, No.
 4, pp. 465-473. print.
 ISSN: 0046-9750.
 DOCUMENT TYPE: Article
 LANGUAGE: English
 ENTRY DATE: Entered STN: 30 Apr 2003
 Last Updated on STN: 30 Apr 2003

L5 ANSWER 21 OF 92 HCAPLUS COPYRIGHT 2006 ACS on STN
 ACCESSION NUMBER: 2002:510090 HCAPLUS
 DOCUMENT NUMBER: 137:221222
 TITLE: Decolourisation and biodegradation of crystal violet
 by soil fungi
 AUTHOR(S): Kousar, Nikhat; Singara Charya, M. A.
 CORPORATE SOURCE: Environmental Microbiology Laboratory, Department of
 Botany, Kakatiya University, Warangal, 506 009, India
 SOURCE: Frontiers in Microbial Biotechnology and Plant

Pathology (2002), 269-282. Editor(s): Manoharachary,
C. Scientific Publishers (India): Jodhpur, India.
CODEN: 69CUYT; ISBN: 81-7233-291-2

DOCUMENT TYPE: Conference
LANGUAGE: English
REFERENCE COUNT: 47 THERE ARE 47 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 22 OF 92 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2001:360158 HCAPLUS

DOCUMENT NUMBER: 134:363353

TITLE: Fungamyl-like Aspergillus oryzae α -amylase
variants with improved thermal stability and
applications to starch processes

INVENTOR(S): Bisgard-Frantzen, Henrik; Svendsen, Allan; Pedersen,
Sven

PATENT ASSIGNEE(S): Novozymes A/S, Den.

SOURCE: PCT Int. Appl., 48 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|------------------------|--|----------|---|-------------|
| WO 2001034784 | A1 | 20010517 | WO 2000-DK626 | 20001110 |
| W: | AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM | | | |
| RW: | GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG | | | |
| AU 2001012696 | A5 | 20010606 | AU 2001-12696 | 20001110 |
| EP 1230351 | A1 | 20020814 | EP 2000-974351 | 20001110 |
| R: | AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR | | | |
| JP 2003513666 | T2 | 20030415 | JP 2001-537481 | 20001110 |
| US 2004229764 | A1 | 20041118 | US 2004-820200 | 20040407 |
| PRIORITY APPLN. INFO.: | | | DK 1999-1617 | A 19991110 |
| | | | US 1999-165786P | P 19991116 |
| | | | US 2000-710339 | A1 20001109 |
| | | | WO 2000-DK626 | W 20001110 |
| REFERENCE COUNT: | 8 | | THERE ARE 8 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT | |

L5 ANSWER 23 OF 92 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2001:739249 HCAPLUS

DOCUMENT NUMBER: 135:343610

TITLE: Use of fungal phytase to improve breadmaking
performance of whole wheat bread

AUTHOR(S): Haros, Monica; Rosell, Cristina M.; Benedito, Carmen

CORPORATE SOURCE: Laboratorio de Cereales, Instituto de Agroquímica y
Tecnología de Alimentos (CSIC), Valencia, 46100, Spain
SOURCE: Journal of Agricultural and Food Chemistry (2001),
49(11), 5450-5454

CODEN: JAFCAU; ISSN: 0021-8561

PUBLISHER: American Chemical Society

DOCUMENT TYPE: Journal

LANGUAGE: English

REFERENCE COUNT: 31 THERE ARE 31 CITED REFERENCES AVAILABLE FOR THIS

RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 24 OF 92 BIOSIS COPYRIGHT (c) 2006 The Thomson Corporation on STN

ACCESSION NUMBER: 2001:346327 BIOSIS
 DOCUMENT NUMBER: PREV200100346327
 TITLE: Experimental approach to optimize the use of alpha-Amylases in breadmaking.
 AUTHOR(S): Rosell, Cristina M. [Reprint author]; Haros, Monica; Escrivá, Consuelo; Benedito de Barber, Carmen
 CORPORATE SOURCE: Instituto de Agroquímica y Tecnología de Alimentos, Consejo Superior de Investigaciones Científicas, Burjassot, 46100, Valencia, Spain
 crosell@iata.csic.es
 SOURCE: Journal of Agricultural and Food Chemistry, (June, 2001) Vol. 49, No. 6, pp. 2973-2977. print.
 CODEN: JAFCAU. ISSN: 0021-8561.
 DOCUMENT TYPE: Article
 LANGUAGE: English
 ENTRY DATE: Entered STN: 25 Jul 2001
 Last Updated on STN: 19 Feb 2002

L5 ANSWER 25 OF 92 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2001:544090 HCAPLUS
 DOCUMENT NUMBER: 136:17908
 TITLE: Inhibition of growth of *Aspergillus flavus* and fungal α -amylases by a lectin-like protein from *Lablab purpureus*
 AUTHOR(S): Fakhoury, A. M.; Woloshuk, C. P.
 CORPORATE SOURCE: Department of Botany and Plant Pathology, Purdue University, West Lafayette, IN, 47907, USA
 SOURCE: Molecular Plant-Microbe Interactions (2001), 14(8), 955-961
 CODEN: MPMIEL; ISSN: 0894-0282
 PUBLISHER: APS Press
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 REFERENCE COUNT: 40 THERE ARE 40 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 26 OF 92 BIOSIS COPYRIGHT (c) 2006 The Thomson Corporation on STN DUPLICATE 10

ACCESSION NUMBER: 2001:221909 BIOSIS
 DOCUMENT NUMBER: PREV200100221909
 TITLE: Combined effect of different antistaling agents on the pasting properties of wheat flour.
 AUTHOR(S): Rosell, Cristina M. [Reprint author]; Rojas, Jose A.; de Barber, Carmen Benedito
 CORPORATE SOURCE: Instituto de Agroquímica y Tecnología de Alimentos, CSIC, Burjasot-46100, 46100, Valencia, Spain
 crosell@iata.csic.es
 SOURCE: European Food Research and Technology, (2001) Vol. 212, No. 4, pp. 473-476. print.
 ISSN: 1438-2377.
 DOCUMENT TYPE: Article
 LANGUAGE: English
 ENTRY DATE: Entered STN: 9 May 2001
 Last Updated on STN: 18 Feb 2002

L5 ANSWER 27 OF 92 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2001:586013 HCAPLUS
 DOCUMENT NUMBER: 135:330530
 TITLE: Economic utilization of agro-industrial wastes through solid state fermentation by *Aspergillus niger* F-21 for

AUTHOR(S): α -amylase production
 Fadel, M.
 CORPORATE SOURCE: Microbial Chemistry Department, National Research
 Centre, Cairo, Egypt
 SOURCE: Egyptian Journal of Microbiology (2001), Volume Date
 2000, 35(2), 173-189
 CODEN: EJMBA2; ISSN: 0301-8172
 PUBLISHER: National Information and Documentation Centre
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 REFERENCE COUNT: 32 THERE ARE 32 CITED REFERENCES AVAILABLE FOR THIS
 RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 28 OF 92 SCISEARCH COPYRIGHT (c) 2006 The Thomson Corporation on STN

ACCESSION NUMBER: 1999:474911 SCISEARCH
 THE GENUINE ARTICLE: 207UK
 TITLE: Alcoholysis reactions from starch with alpha-amylases
 AUTHOR: Santamaria R I; Del Rio G; Saab G; Rodriguez M E; Soberon
 X; Lopez-Munguia A (Reprint)
 CORPORATE SOURCE: UNAM, Inst Biotecnol, Apartado Postal 510-3, Cuernavaca
 62271, Morelos, Mexico (Reprint); UNAM, Inst Biotecnol,
 Cuernavaca 62271, Morelos, Mexico
 COUNTRY OF AUTHOR: Mexico
 SOURCE: FEBS LETTERS, (11 JUN 1999) Vol. 452, No. 3, pp. 346-350.
 ISSN: 0014-5793.
 PUBLISHER: ELSEVIER SCIENCE BV, PO BOX 211, 1000 AE AMSTERDAM,
 NETHERLANDS.
 DOCUMENT TYPE: Article; Journal
 LANGUAGE: English
 REFERENCE COUNT: 24
 ENTRY DATE: Entered STN: 1999
 Last Updated on STN: 1999
 ABSTRACT IS AVAILABLE IN THE ALL AND IALL FORMATS

L5 ANSWER 29 OF 92 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1998:585900 HCAPLUS
 DOCUMENT NUMBER: 129:186146
 TITLE: Purification of an acid-stable α -amylase of
 fungal origin for use in starch saccharification
 INVENTOR(S): Vercauteren, Ronny; Dendooven, Els; Heylen, An Amanda
 Jules
 PATENT ASSIGNEE(S): Cerestar Holding B.V., Neth.
 SOURCE: Eur. Pat. Appl., 10 pp.
 CODEN: EPXXDW
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|--|------|---|-----------------|------------|
| EP 860500 | A1 | 19980826 | EP 1998-301183 | 19980218 |
| EP 860500 | B1 | 20040901 | | |
| R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO | | | | |
| US 5962276 | A | 19991005 | US 1998-24579 | 19980217 |
| AT 275193 | E | 20040915 | AT 1998-301183 | 19980218 |
| PT 860500 | T | 20050131 | PT 1998-301183 | 19980218 |
| ES 2227771 | T3 | 20050401 | ES 1998-301183 | 19980218 |
| JP 10271992 | A2 | 19981013 | JP 1998-39296 | 19980220 |
| PRIORITY APPLN. INFO.: | | | GB 1997-3641 | A 19970221 |
| REFERENCE COUNT: | 7 | THERE ARE 7 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT | | |

L5 ANSWER 30 OF 92 EMBASE COPYRIGHT (c) 2006 Elsevier B.V. All rights reserved on STN DUPLICATE 11

ACCESSION NUMBER: 1998349327 EMBASE
 TITLE: Utilisation of starch processing wastewater for production of microbial biomass protein and fungal α -amylase by *Aspergillus oryzae*.
 AUTHOR: Jin B.; Van Leeuwen H.J.; Patel B.; Yu Q.
 CORPORATE SOURCE: B. Jin, Sch. of Biomolec./Biomedical Science, Griffith University, Nathan, QLD 4111, Australia
 SOURCE: Bioresource Technology, (1998) Vol. 66, No. 3, pp. 201-206.
 Refs: 15
 ISSN: 0960-8524 CODEN: BIRTEB
 PUBLISHER IDENT.: S 0960-8524(98)00060-1
 COUNTRY: United Kingdom
 DOCUMENT TYPE: Journal; Article
 FILE SEGMENT: 004 Microbiology
 LANGUAGE: English
 SUMMARY LANGUAGE: English
 ENTRY DATE: Entered STN: 19981130
 Last Updated on STN: 19981130

L5 ANSWER 31 OF 92 BIOSIS COPYRIGHT (c) 2006 The Thomson Corporation on STN DUPLICATE 12

ACCESSION NUMBER: 1998:301219 BIOSIS
 DOCUMENT NUMBER: PREV199800301219
 TITLE: Thermostability and browning development of fungal α -amylase freeze-dried in carbohydrate and PVP matrices.
 AUTHOR(S): Terebiznik, M. R.; Buera, M. P.; Pilosof, A. M. R. [Reprint author]
 CORPORATE SOURCE: Departamento de Industrias, Facultad de Ciencias Exactas y Naturales, Universidad de Buenos Aires, Buenos Aires, Argentina
 SOURCE: Lebensmittel-Wissenschaft and Technologie, (1998) Vol. 31, No. 2, pp. 143-149. print.
 CODEN: LBWTAP. ISSN: 0023-6438.
 DOCUMENT TYPE: Article
 LANGUAGE: English
 ENTRY DATE: Entered STN: 15 Jul 1998
 Last Updated on STN: 15 Jul 1998

L5 ANSWER 32 OF 92 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1997:76605 HCAPLUS
 DOCUMENT NUMBER: 126:292673
 TITLE: Rye and wheat flour treatment with enzymes
 AUTHOR(S): Bruemmer, J. M.
 CORPORATE SOURCE: Bundesanstalt Getreide-, Kartoffel- Fettforschung, Detmold, D-32756, Germany
 SOURCE: Getreide, Mehl und Brot (1996), 50(6), 350-358
 CODEN: GEMBAN; ISSN: 0367-4177
 PUBLISHER: Deutscher Baecker-Verlag GmbH
 DOCUMENT TYPE: Journal
 LANGUAGE: German

L5 ANSWER 33 OF 92 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1996:749573 HCAPLUS
 DOCUMENT NUMBER: 126:28530
 TITLE: Structure-function studies of two polysaccharide-degrading enzymes: *Bacillus stearothermophilus* α -amylase and *Trichoderma reesei* cellobiohydrolase II
 AUTHOR(S): Koivula, Anu
 CORPORATE SOURCE: Technical Research Centre, Finland

SOURCE: VTT Publications (1996), 277, 143pp
 CODEN: VTTPEY; ISSN: 1235-0621
 PUBLISHER: Valtion Teknillinen Tutkimuskeskus
 DOCUMENT TYPE: Journal
 LANGUAGE: English

L5 ANSWER 34 OF 92 HCAPLUS COPYRIGHT 2006 ACS on STN
 ACCESSION NUMBER: 1995:570928 HCAPLUS
 DOCUMENT NUMBER: 122:309817
 TITLE: Method for preparing immobilized enzyme conjugates and immobilized enzyme conjugates prepared thereby.
 INVENTOR(S): Lantero, Oreste J.; Brewer, Jack W.; Sarber, Sharon M.
 PATENT ASSIGNEE(S): Solvay Enzymes, Inc., USA; Genencor Int.
 SOURCE: Eur. Pat. Appl., 17 pp.
 CODEN: EPXXDW
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|---|------|----------|-----------------|-------------|
| EP 641859 | A1 | 19950308 | EP 1994-202377 | 19940819 |
| EP 641859 | B1 | 20031210 | | |
| R: AT, BE, CH, DE, DK, ES, FR, GB, IE, IT, LI, NL, SE | | | | |
| AT 256179 | E | 20031215 | AT 1994-202377 | 19940819 |
| CA 2131225 | AA | 19950302 | CA 1994-2131225 | 19940831 |
| FI 9404021 | A | 19950302 | FI 1994-4021 | 19940901 |
| BR 9403419 | A | 19950509 | BR 1994-3419 | 19940901 |
| JP 07147981 | A2 | 19950613 | JP 1994-208447 | 19940901 |
| CN 1107514 | A | 19950830 | CN 1994-116866 | 19940901 |
| CN 1061090 | B | 20010124 | | |
| US 5472861 | A | 19951205 | US 1995-370220 | 19950109 |
| US 5541097 | A | 19960730 | US 1995-385831 | 19950209 |
| PRIORITY APPLN. INFO.: | | | US 1993-114143 | A 19930901 |
| | | | US 1995-370220 | A1 19950109 |

L5 ANSWER 35 OF 92 BIOTECHDS COPYRIGHT 2006 THE THOMSON CORP. on STN
 ACCESSION NUMBER: 1995-12712 BIOTECHDS
 TITLE: Enzymes used in limit conditions. Examples in food technology;
 e.g. starch saccharification using thermostable alpha-amylase from Bacillus licheniformis, and bitterness removal from tenderized meat using protease
 AUTHOR: Nicolas J
 CORPORATE SOURCE: Nat.Coll.Arts+Ind.Paris
 LOCATION: Biochimie Industrielle et Agroalimentaire, 292, rue Saint-Martin, 75141 Paris Cedex 03, France.
 SOURCE: C.R.Acad.Agric.Fr.; (1995) 81, 2, 11-17
 CODEN: CRAFEQ
 ISSN: 0989-6988
 DOCUMENT TYPE: Journal
 LANGUAGE: French

L5 ANSWER 36 OF 92 HCAPLUS COPYRIGHT 2006 ACS on STN
 ACCESSION NUMBER: 1993:58517 HCAPLUS
 DOCUMENT NUMBER: 118:58517
 TITLE: α -amylase mixtures for retarding the staling of baked goods
 INVENTOR(S): Bowles, Linda K.
 PATENT ASSIGNEE(S): Enzyme Bio-Systems Ltd., USA
 SOURCE: S. African, 27 pp.
 CODEN: SFXXAB
 DOCUMENT TYPE: Patent

LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|------------------------|------|----------|-----------------|------------|
| ZA 9106869 | A | 19920729 | ZA 1991-6869 | 19910829 |
| JP 04229128 | A2 | 19920818 | JP 1991-230466 | 19910910 |
| JP 07110193 | B4 | 19951129 | | |
| NO 9103583 | A | 19920313 | NO 1991-3583 | 19910911 |
| AU 9183831 | A1 | 19920319 | AU 1991-83831 | 19910911 |
| AU 638659 | B2 | 19930701 | | |
| FI 9104294 | A | 19920313 | FI 1991-4294 | 19910912 |
| PRIORITY APPLN. INFO.: | | | US 1990-581290 | A 19900912 |

L5 ANSWER 37 OF 92 MEDLINE on STN DUPLICATE 13
ACCESSION NUMBER: 93000376 MEDLINE
DOCUMENT NUMBER: PubMed ID: 1388663
TITLE: Stability of fungal alpha-
amylase in sodium dodecylsulfate.
AUTHOR: Arakawa T; Hung L; Narhi L O
CORPORATE SOURCE: Amgen Inc., Amgen Center, Thousand Oaks, California 91320.
SOURCE: Journal of protein chemistry, (1992 Apr) 11 (2) 111-7.
Journal code: 8217321. ISSN: 0277-8033.
PUB. COUNTRY: United States
DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)
LANGUAGE: English
FILE SEGMENT: Priority Journals
ENTRY MONTH: 199211
ENTRY DATE: Entered STN: 19930122
Last Updated on STN: 19930122
Entered Medline: 19921104

L5 ANSWER 38 OF 92 SCISEARCH COPYRIGHT (c) 2006 The Thomson Corporation on
STN
ACCESSION NUMBER: 1992:479080 SCISEARCH
THE GENUINE ARTICLE: JG966
TITLE: STUDIES ON THE BREAD-IMPROVING MECHANISM OF FUNGAL
ALPHA-AMYLASE
AUTHOR: PRITCHARD P E (Reprint)
CORPORATE SOURCE: FLOUR MILLING & BAKING RES ASSOC, BIOCHEM SECT,
CHORLEYWOOD WD3 5SH, HERTS, ENGLAND (Reprint)
COUNTRY OF AUTHOR: ENGLAND
SOURCE: JOURNAL OF BIOLOGICAL EDUCATION, (SPR 1992) Vol. 26, No.
1, pp. 12-18.
ISSN: 0021-9266.
PUBLISHER: INST BIOLOGY, 20 QUEENSBERRY PLACE, LONDON, ENGLAND SW7
2DZ.
DOCUMENT TYPE: Article; Journal
FILE SEGMENT: AGRI
LANGUAGE: English
REFERENCE COUNT: No References Keyed
ENTRY DATE: Entered STN: 1994
Last Updated on STN: 1994
ABSTRACT IS AVAILABLE IN THE ALL AND IALL FORMATS

L5 ANSWER 39 OF 92 BIOTECHDS COPYRIGHT 2006 THE THOMSON CORP. on STN
ACCESSION NUMBER: 1991-08314 BIOTECHDS
TITLE: Comparative profiles of fungal alpha-
amylase production by submerged and surface
fermentation;
comparison of Aspergillus oryzae submerged culture and
solid-state fermentation
AUTHOR: Shah N K; *Ramamurthy V; Kothari R M

LOCATION: Biotechnology Division, Thapar Corporate R&D Centre, PO Box 68, Patiala 147 001, India.
SOURCE: Biotechnol.Lett.; (1991) 13, 5, 361-64
CODEN: BILED3
DOCUMENT TYPE: Journal
LANGUAGE: English

L5 ANSWER 40 OF 92 HCAPLUS COPYRIGHT 2006 ACS on STN
ACCESSION NUMBER: 1993:447440 HCAPLUS
DOCUMENT NUMBER: 119:47440
TITLE: Direct conversion of raw starch to maltose in an agitated bead enzyme reactor using fungal .
alpha.-amylase
AUTHOR(S): Lee, Yong Hyun; Park, Jin Seo
CORPORATE SOURCE: Coll. Nat. Sci., Kyungpook Natl. Univ., Taegu, 702-701, S. Korea
SOURCE: Sanop Misaengmul Hakhoechi (1991), 19(3), 290-5
CODEN: SMHAEH; ISSN: 0257-2389
DOCUMENT TYPE: Journal
LANGUAGE: Korean

L5 ANSWER 41 OF 92 HCAPLUS COPYRIGHT 2006 ACS on STN
ACCESSION NUMBER: 1991:427745 HCAPLUS
DOCUMENT NUMBER: 115:27745
TITLE: Use of fungal alpha-
amylase in milling and baking
AUTHOR(S): Ranum, Peter; DeStefanis, Vincent A.
CORPORATE SOURCE: Flour Serv. Dep., Atochem North America, Buffalo, NY, 14240, USA
SOURCE: Cereal Foods World (1990), 35(9), 931-3
CODEN: CFWODA; ISSN: 0146-6283
DOCUMENT TYPE: Journal; General Review
LANGUAGE: English

L5 ANSWER 42 OF 92 MEDLINE on STN
ACCESSION NUMBER: 90318322 MEDLINE
DOCUMENT NUMBER: PubMed ID: 2370848
TITLE: The alpha-amylase genes in Oryza sativa: characterization of cDNA clones and mRNA expression during seed germination.
AUTHOR: O'Neill S D; Kumagai M H; Majumdar A; Huang N; Sutliff T D; Rodriguez R L
CORPORATE SOURCE: Department of Genetics, University of California, Davis 95616.
SOURCE: Molecular & general genetics : MGG, (1990 Apr) 221 (2) 235-44.
Journal code: 0125036. ISSN: 0026-8925.
PUB. COUNTRY: GERMANY, WEST: Germany, Federal Republic of
DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)
LANGUAGE: English
FILE SEGMENT: Priority Journals
OTHER SOURCE: GENBANK-M24286; GENBANK-M24287; GENBANK-M24941
ENTRY MONTH: 199008
ENTRY DATE: Entered STN: 19900921
Last Updated on STN: 19900921
Entered Medline: 19900823

L5 ANSWER 43 OF 92 BIOSIS COPYRIGHT (c) 2006 The Thomson Corporation on STN DUPLICATE 14
ACCESSION NUMBER: 1989:492065 BIOSIS
DOCUMENT NUMBER: PREV198988118602; BA88:118602
TITLE: EFFECT OF POLYOLS ON FUNGAL ALPHA
AMYLASE THERMOSTABILITY.
AUTHOR(S): GRABER M [Reprint author]; COMBES D
CORPORATE SOURCE: DEP DE GENIE BIOCHMIQUE ET ALIMENTAIRE, UA-CNRS-544, INST

NATIONAL DES SCI APPLIQUEES, AVE DE RANGUEIL, 31077
TOULOUSE CEDEX, FRANCE
SOURCE: Enzyme and Microbial Technology, (1989) Vol. 11, No. 10,
pp. 673-677.
CODEN: EMTED2. ISSN: 0141-0229.
DOCUMENT TYPE: Article
FILE SEGMENT: BA
LANGUAGE: ENGLISH
ENTRY DATE: Entered STN: 2 Nov 1989
Last Updated on STN: 2 Nov 1989

L5 ANSWER 44 OF 92 MEDLINE on STN DUPLICATE 15
ACCESSION NUMBER: 90143168 MEDLINE
DOCUMENT NUMBER: PubMed ID: 2515679
TITLE: Physico-chemical properties of Aspergillus flavus var.
columnaris alpha-amylase.
AUTHOR: Ali F S; Abdel-Moneim A A
CORPORATE SOURCE: Department of Agricultural Microbiology, Faculty of
Agriculture, Minia University, Egypt.
SOURCE: Zentralblatt fur Mikrobiologie, (1989) 144 (8) 615-21.
Journal code: 8209932. ISSN: 0232-4393.
PUB. COUNTRY: GERMANY, WEST: Germany, Federal Republic of
DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)
LANGUAGE: English
FILE SEGMENT: Priority Journals
ENTRY MONTH: 199003
ENTRY DATE: Entered STN: 19900328
Last Updated on STN: 19900328
Entered Medline: 19900315

L5 ANSWER 45 OF 92 BIOSIS COPYRIGHT (c) 2006 The Thomson Corporation on
STN DUPLICATE 16
ACCESSION NUMBER: 1989:289047 BIOSIS
DOCUMENT NUMBER: PREV198988014391; BA88:14391
TITLE: THE HIGH MALTOSE-PRODUCING ALPHA AMYLASE OF
PENICILLIUM-EXPANSUM.
AUTHOR(S): DOYLE E M [Reprint author]; KELLY C T; FOGARTY W M
CORPORATE SOURCE: DEP INDUSTRIAL MICROBIOL, UNIV COLL, BELFIELD, DUBLIN 4,
IRELAND
SOURCE: Applied Microbiology and Biotechnology, (1989) Vol. 30, No.
5, pp. 492-496.
CODEN: AMBIDG. ISSN: 0175-7598.
DOCUMENT TYPE: Article
FILE SEGMENT: BA
LANGUAGE: ENGLISH
ENTRY DATE: Entered STN: 20 Jun 1989
Last Updated on STN: 27 Jul 1989

L5 ANSWER 46 OF 92 BIOSIS COPYRIGHT (c) 2006 The Thomson Corporation on
STN DUPLICATE 17
ACCESSION NUMBER: 1990:47225 BIOSIS
DOCUMENT NUMBER: PREV199089024589; BA89:24589
TITLE: CARBOHYDRATE COMPOSITIONS AND MOLECULAR STRUCTURE OF
DEXTRINS IN ENZYMATIC HIGH CONVERSION STARCH SYRUPS.
AUTHOR(S): NEBESNY E [Reprint author]
CORPORATE SOURCE: DEP FOOD TECHNOL, TECHNICAL UNIV, STEFANOWSKISTREET 4/10,
90-924 LODZ, POLAND
SOURCE: Starch, (1989) Vol. 41, No. 11, pp. 431-435.
CODEN: STARDD. ISSN: 0038-9056.
DOCUMENT TYPE: Article
FILE SEGMENT: BA
LANGUAGE: ENGLISH
ENTRY DATE: Entered STN: 11 Jan 1990
Last Updated on STN: 27 Feb 1990

L5 ANSWER 47 OF 92 BIOSIS COPYRIGHT (c) 2006 The Thomson Corporation on
STN DUPLICATE 18

ACCESSION NUMBER: 1990:380376 BIOSIS
DOCUMENT NUMBER: PREV199090067057; BA90:67057
TITLE: STUDIES ON ALPHA AMYLASE INHIBITORS PRODUCED BY SOIL
MICROORGANISMS ISOLATION AND ACTIVITIES OF THE ALPHA
AMYLASE INHIBITORS FROM STREPTOMYCES STRAIN DMCJ-144.
AUTHOR(S): CHUNG Y J [Reprint author]; CHOI K H; CHOI E C; KIM B K
CORPORATE SOURCE: DEP MICROBIAL CHEM, COLLEGE PHARM, SEOUL NATL UNIV, SEOUL
151-742, KOREA
SOURCE: Seoul University Journal of Pharmaceutical Sciences, (1989)
Vol. 14, pp. 1-14.
CODEN: STYNDJ. ISSN: 0250-3336.
DOCUMENT TYPE: Article
FILE SEGMENT: BA
LANGUAGE: KOREAN
ENTRY DATE: Entered STN: 21 Aug 1990
Last Updated on STN: 22 Aug 1990

L5 ANSWER 48 OF 92 BIOSIS COPYRIGHT (c) 2006 The Thomson Corporation on
STN DUPLICATE 19

ACCESSION NUMBER: 1988:460056 BIOSIS
DOCUMENT NUMBER: PREV198886101775; BA86:101775
TITLE: PRODUCTION OF ALPHA AMYLASE BY THE RUMINAL ANAEROBIC FUNGUS
NEOCALLIMASTIX-FRONTALIS.
AUTHOR(S): MOUNTFORT D O [Reprint author]; ASHER R A
CORPORATE SOURCE: CAWTHRON INST, PRIVATE BAG, NELSON, NZ
SOURCE: Applied and Environmental Microbiology, (1988) Vol. 54, No.
9, pp. 2293-2299.
CODEN: AEMIDF. ISSN: 0099-2240.
DOCUMENT TYPE: Article
FILE SEGMENT: BA
LANGUAGE: ENGLISH
ENTRY DATE: Entered STN: 18 Oct 1988
Last Updated on STN: 18 Oct 1988

L5 ANSWER 49 OF 92 BIOTECHDS COPYRIGHT 2006 THE THOMSON CORP. on STN

ACCESSION NUMBER: 1987-11368 BIOTECHDS
TITLE: High maltose syrup compositions;
produced from starch using alpha-amylase, beta-amylase and
alpha-1,6-glucosidase
PATENT ASSIGNEE: Lonza
PATENT INFO: US 4675293 23 Jun 1987
APPLICATION INFO: US 1984-640890 15 Aug 1984
PRIORITY INFO: US 1984-640890 15 Aug 1984
DOCUMENT TYPE: Patent
LANGUAGE: English
OTHER SOURCE: WPI: 1986-049802 [08]

L5 ANSWER 50 OF 92 BIOSIS COPYRIGHT (c) 2006 The Thomson Corporation on
STN DUPLICATE 20

ACCESSION NUMBER: 1987:43720 BIOSIS
DOCUMENT NUMBER: PREV198783023066; BA83:23066
TITLE: PRODUCTION AND CHARACTERISTICS OF RAW-STARCH-DIGESTING
ALPHA AMYLASE FROM A PROTEASE-NEGATIVE ASPERGILLUS-FICUUM
MUTANT.
AUTHOR(S): HAYASHIDA S [Reprint author]; TERAMOTO Y
CORPORATE SOURCE: DEP OF AGRIC CHEMISTRY, KYUSHU UNIV, FUKUOKA 812, JAPAN
SOURCE: Applied and Environmental Microbiology, (1986) Vol. 52, No.
5, pp. 1068-1073.
CODEN: AEMIDF. ISSN: 0099-2240.
DOCUMENT TYPE: Article
FILE SEGMENT: BA

LANGUAGE: ENGLISH
ENTRY DATE: Entered STN: 7 Jan 1987
Last Updated on STN: 7 Jan 1987

L5 ANSWER 51 OF 92 HCAPLUS COPYRIGHT 2006 ACS on STN
ACCESSION NUMBER: 1986:568008 HCAPLUS
DOCUMENT NUMBER: 105:168008
TITLE: Immobilization of fungal .alpha.-
amylase in calcium alginate
AUTHOR(S): Song, Il Cheon; Suh, Han Soo; Kim, Kea Yong
CORPORATE SOURCE: Coll. Eng., Hanyang Univ., Seoul, S. Korea
SOURCE: Polymer (Korea) (1986), 10(4), 318-23
CODEN: POLLDG; ISSN: 0379-153X
DOCUMENT TYPE: Journal
LANGUAGE: Korean

L5 ANSWER 52 OF 92 BIOTECHDS COPYRIGHT 2006 THE THOMSON CORP. on STN
ACCESSION NUMBER: 1986-10226 BIOTECHDS
TITLE: Studies on the application of maltogenic amylase in the
production of maltose containing syrup;
use in combination with pullulanase and fungal
alpha-amylase
AUTHOR: Slominska L; Starogardzka G
LOCATION: Central Laboratorium Przemyslu Ziemniaczanego, Zwierzniecka
18, 60-814 Poznan, Poland.
SOURCE: Starch; (1986) 38, 6, 205-10
CODEN: STARD
DOCUMENT TYPE: Journal
LANGUAGE: English

L5 ANSWER 53 OF 92 BIOSIS COPYRIGHT (c) 2006 The Thomson Corporation on
STN
ACCESSION NUMBER: 1986:225444 BIOSIS
DOCUMENT NUMBER: PREV198681116744; BA81:116744
TITLE: STUDIES ON SCREENING AND ISOLATION OF ALPHA AMYLASE
INHIBITORS OF SOIL MICROORGANISMS II. ISOLATION AND
ACTIVITIES OF THE INHIBITOR OF STREPTOMYCES STRAIN DMC-72.
AUTHOR(S): KIM K J [Reprint author]; LEE S H; KIM J W; KIM H W; SHIM M
J; CHOI E C; KIM B K
CORPORATE SOURCE: DEPARTMENT OF MICROBIAL CHEMISTRY, COLLEGE OF PHARMACY,
SEOUL NATIONAL UNIVERSITY, SEOUL 151, KOREA
SOURCE: Korean Journal of Mycology, (1985) Vol. 13, No. 4, pp.
203-212.
CODEN: HWHCD5. ISSN: 0253-651x.
DOCUMENT TYPE: Article
FILE SEGMENT: BA
LANGUAGE: ENGLISH
ENTRY DATE: Entered STN: 28 May 1986
Last Updated on STN: 28 May 1986

L5 ANSWER 54 OF 92 BIOTECHDS COPYRIGHT 2006 THE THOMSON CORP. on STN
ACCESSION NUMBER: 1986-08652 BIOTECHDS
TITLE: A process for cofermentation of whey and corn to produce
industrial alcohol;
ethanol production using Kluyveromyces fragilis and
Saccharomyces cerevisiae following substrate
saccharification (conference paper)
AUTHOR: Whalen P J; Shahani K M
LOCATION: Department of Food Science and Technology, University of
Nebraska, Lincoln, Nebraska 68583-0919, U.S.A.
SOURCE: Biotechnol.Bioeng.; (1985) Symp. 15, 117-28
CODEN: BIBIAU
DOCUMENT TYPE: Journal
LANGUAGE: English

L5 ANSWER 55 OF 92 BIOSIS COPYRIGHT (c) 2006 The Thomson Corporation on STN

ACCESSION NUMBER: 1986:319116 BIOSIS
DOCUMENT NUMBER: PREV198682043421; BA82:43421
TITLE: STUDIES ON SCREENING AND ISOLATION OF ALPHA AMYLASE
INHIBITORS OF SOIL MICROORGANISMS 1. ISOLATION AND
ACTIVITIES OF THE INHIBITOR OF STREPTOMYCES STRAIN DMC-225.
AUTHOR(S): KWAK J H [Reprint author]; CHOI E C; KIM B K
CORPORATE SOURCE: COLL PHARMACY, SEOUL NATL UNIV, SEOUL 151, KOREA
SOURCE: Archives of Pharmacal Research (Seoul), (1985) Vol. 8, No.
2, pp. 67-76.
CODEN: APHRDQ. ISSN: 0253-6269.
DOCUMENT TYPE: Article
FILE SEGMENT: BA
LANGUAGE: ENGLISH
ENTRY DATE: Entered STN: 8 Aug 1986
Last Updated on STN: 8 Aug 1986

L5 ANSWER 56 OF 92 BIOSIS COPYRIGHT (c) 2006 The Thomson Corporation on STN
DUPLICATE 21

ACCESSION NUMBER: 1983:245112 BIOSIS
DOCUMENT NUMBER: PREV198376002604; BA76:2604
TITLE: AN IMMOBILIZED 2 ENZYME SYSTEM FUNGAL
ALPHA AMYLASE EC-3.2.1.1 GLUCO AMYLASE
EC-3.2.1.3 AND ITS USE IN THE CONTINUOUS PRODUCTION OF HIGH
CONVERSION MALTOSE CONTAINING CORN SYRUPS.
AUTHOR(S): HAUSSE A G [Reprint author]; GOLDBERG B S; MERTENS J L
CORPORATE SOURCE: AMERACE CORP, TECHNICAL CENT, ACE ROAD, BUTLER, NJ 07405,
USA
SOURCE: Biotechnology and Bioengineering, (1983) Vol. 25, No. 2,
pp. 525-540.
CODEN: BIBIAU. ISSN: 0006-3592.
DOCUMENT TYPE: Article
FILE SEGMENT: BA
LANGUAGE: ENGLISH

L5 ANSWER 57 OF 92 BIOSIS COPYRIGHT (c) 2006 The Thomson Corporation on STN

ACCESSION NUMBER: 1983:191359 BIOSIS
DOCUMENT NUMBER: PREV198375041359; BA75:41359
TITLE: PURIFICATION AND CHARACTERIZATION OF A THERMOPHILIC ALPHA
AMYLASE OF ASPERGILLUS-NIGER.
AUTHOR(S): RAMASESH N [Reprint author]; SREEKANTIAH K R; MURTHY V S
CORPORATE SOURCE: DISCIPLINE OF MICROBIOL AND FERMENTATION TECHNOL, CENTRAL
FOOD TECHNOL RESEARCH INST, MYSORE-570013, INDIA
SOURCE: Starch, (1982) Vol. 34, No. 8, pp. 274-279.
CODEN: STARD. ISSN: 0038-9056.
DOCUMENT TYPE: Article
FILE SEGMENT: BA
LANGUAGE: ENGLISH

L5 ANSWER 58 OF 92 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1983:85216 HCAPLUS
DOCUMENT NUMBER: 98:85216
TITLE: The use of a simple experimental design and modeling
technique to aid in characterizing a commercial
fungal alpha-amylase
AUTHOR(S): Dawson, H. G.; Allen, W. G.
CORPORATE SOURCE: Miles Lab. Inc., Elkhart, IN, USA
SOURCE: Util. Enzymes Technol. Aliment., Symp. Int. (1982),
41-8. Editor(s): Dupuy, Pierre. Tech. Doc.
Lavoisier: Paris, Fr.
CODEN: 49ATA4

DOCUMENT TYPE: Conference
LANGUAGE: English

L5 ANSWER 59 OF 92 HCAPLUS COPYRIGHT 2006 ACS on STN
ACCESSION NUMBER: 1981:402402 HCAPLUS
DOCUMENT NUMBER: 95:2402
TITLE: Comparative characterization of α -amylase preparations
AUTHOR(S): Pantschev, C.; Klenz, G.; Haefner, B.
CORPORATE SOURCE: Inst. Enzymol. Tech. Mikrobiol., Berlin, Ger. Dem. Rep.
SOURCE: Lebensmittelindustrie (1981), 28(2), 71-4
CODEN: LEINAQ; ISSN: 0024-0028
DOCUMENT TYPE: Journal
LANGUAGE: German

L5 ANSWER 60 OF 92 HCAPLUS COPYRIGHT 2006 ACS on STN
ACCESSION NUMBER: 1981:98852 HCAPLUS
DOCUMENT NUMBER: 94:98852
TITLE: Controlling the activity of enzymes immobilized on organic support material
INVENTOR(S): Fischer, Jens; Millner, Rudolf; Rosenfeld, Eike; Schmidt, Peter; Schellenberger, Alfred
PATENT ASSIGNEE(S): Ger. Dem. Rep.
SOURCE: Ger. (East), 6 pp.
CODEN: GEXXA8
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|------------------------|------|----------|-----------------|-------------|
| DD 144558 | Z | 19801022 | DD 1979-213501 | 19790608 |
| PRIORITY APPLN. INFO.: | | | DD 1979-213501 | A1 19790608 |

L5 ANSWER 61 OF 92 HCAPLUS COPYRIGHT 2006 ACS on STN
ACCESSION NUMBER: 1980:196352 HCAPLUS
DOCUMENT NUMBER: 92:196352
TITLE: Environmental factors and cultivation techniques in fungal α -amylase production
AUTHOR(S): Meyrath, J.; Bayer, G.
CORPORATE SOURCE: Inst. Appl. Microbiol., Univ. Agric., Vienna, Austria
SOURCE: Proceedings of the FEBS Meeting (1980), 61(Ind. Clin. Enzymol.), 331-8
CODEN: FEBPBY; ISSN: 0071-4402
DOCUMENT TYPE: Journal
LANGUAGE: English

L5 ANSWER 62 OF 92 HCAPLUS COPYRIGHT 2006 ACS on STN
ACCESSION NUMBER: 1979:401926 HCAPLUS
DOCUMENT NUMBER: 91:1926
TITLE: The influence of charged matrix surfaces on the thermostabilizing effect of calcium ions on immobilized fungal α -amylase
AUTHOR(S): Fischer, J.; Ulbrich, R.; Schellenberger, A.
CORPORATE SOURCE: Inst. Enzymol. Tech. Mikrobiol., Berlin, 104, Ger. Dem. Rep.
SOURCE: Acta Biologica et Medica Germanica (1979), 37(9), 1413-24
CODEN: ABMGAJ; ISSN: 0001-5318
DOCUMENT TYPE: Journal

LANGUAGE: English

L5 ANSWER 63 OF 92 HCAPLUS COPYRIGHT 2006 ACS on STN
ACCESSION NUMBER: 1979:21089 HCAPLUS
DOCUMENT NUMBER: 90:21089
TITLE: Free-flowing fungal enzyme composition
INVENTOR(S): Vidal, Frederick D.; Gerrity, Albert B.
PATENT ASSIGNEE(S): Pennwalt Corp., USA
SOURCE: U.S., 4 pp.
CODEN: USXXAM
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|------------------------|------|----------|-----------------|------------|
| US 4116772 | A | 19780926 | US 1975-600323 | 19750730 |
| PRIORITY APPLN. INFO.: | | | US 1975-600323 | A 19750730 |

L5 ANSWER 64 OF 92 MEDLINE on STN DUPLICATE 22
ACCESSION NUMBER: 79161711 MEDLINE
DOCUMENT NUMBER: PubMed ID: 749472
TITLE: The influence of charged matrix surfaces on the
thermostabilizing effect of calcium ions on immobilized
fungal α -amylase.
AUTHOR: Fischer J; Ulbrich R; Schellenberger A
SOURCE: Acta biologica et medica Germanica, (1978) 37 (9) 1413-24.
Journal code: 0370276. ISSN: 0001-5318.
PUB. COUNTRY: GERMANY, EAST: German Democratic Republic
DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)
LANGUAGE: English
FILE SEGMENT: Priority Journals
ENTRY MONTH: 197906
ENTRY DATE: Entered STN: 19900315
Last Updated on STN: 19900315
Entered Medline: 19790611

L5 ANSWER 65 OF 92 BIOSIS COPYRIGHT (c) 2006 The Thomson Corporation on
STN DUPLICATE 23
ACCESSION NUMBER: 1978:226728 BIOSIS
DOCUMENT NUMBER: PREV197866039225; BA66:39225
TITLE: MODIFIED AMYLOGRAPH TEST FOR DETERMINING DIASTATIC ACTIVITY
IN FLOUR SUPPLEMENTED WITH FUNGAL ALPHA
AMYLASE.
AUTHOR(S): RANUM P M [Reprint author]; KULP K; AGASIE F R
CORPORATE SOURCE: PENNWALT CORP, BROADVIEW, ILL 60153, USA
SOURCE: Cereal Chemistry, (1978) Vol. 55, No. 3, pp. 321-331.
CODEN: CECHAF. ISSN: 0009-0352.
DOCUMENT TYPE: Article
FILE SEGMENT: BA
LANGUAGE: ENGLISH

L5 ANSWER 66 OF 92 HCAPLUS COPYRIGHT 2006 ACS on STN
ACCESSION NUMBER: 1978:611067 HCAPLUS
DOCUMENT NUMBER: 89:211067
TITLE: Degradation of starch granules by α -amylases of
fungi
AUTHOR(S): Takaya, T.; Sugimoto, Y.; Imo, E.; Tominaga, Y.;
Nakatani, N.; Fuwa, H.
CORPORATE SOURCE: Dep. Food Nutr., Osaka City Univ., Osaka, Japan
SOURCE: Staerke (1978), 30(9), 289-93
CODEN: STRKA6; ISSN: 0038-9056
DOCUMENT TYPE: Journal

LANGUAGE: English

L5 ANSWER 67 OF 92 BIOSIS COPYRIGHT (c) 2006 The Thomson Corporation on
STN DUPLICATE 24

ACCESSION NUMBER: 1979:254136 BIOSIS
DOCUMENT NUMBER: PREV197968056640; BA68:56640
TITLE: KINETIC BEHAVIOR OF SOLUBLE FUNGAL ALPHA
AMYLASE FROM ASPERGILLUS-NIGER.
AUTHOR(S): ATTIA R M [Reprint author]; GAMAL R F; DOKHAN A M
CORPORATE SOURCE: MICROBIOL DEP, FAC AGRIC, AIN SHAMS UNIV, CAIRO, EGYPT
SOURCE: Revista de Microbiologia, (1978) Vol. 9, No. 3, pp.
159-162.
CODEN: RMBGBP. ISSN: 0001-3714.
DOCUMENT TYPE: Article
FILE SEGMENT: BA
LANGUAGE: ENGLISH

L5 ANSWER 68 OF 92 EMBASE COPYRIGHT (c) 2006 Elsevier B.V. All rights
reserved on STN DUPLICATE 25

ACCESSION NUMBER: 78126314 EMBASE
DOCUMENT NUMBER: 1978126314
TITLE: Simple and rapid colorimetric method for the
microdetermination of alpha amylase.
AUTHOR: Attia R.; Ali S.A.
CORPORATE SOURCE: Microbiol. Enz. Unit, Microbiol. Res. Div., Agric. Res.
Cent. Egypt, Giza, Egypt
SOURCE: Zentralblatt fur Bakteriologie Parasitenkunde
Infektionskrankheiten und Hygiene Zweite Abteilung, (1977)
Vol. 132, No. 3, pp. 193-195.
CODEN: ZBPIA
COUNTRY: Germany
DOCUMENT TYPE: Journal
FILE SEGMENT: 004 Microbiology
029 Clinical Biochemistry
LANGUAGE: English

L5 ANSWER 69 OF 92 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1980:210709 HCAPLUS
DOCUMENT NUMBER: 92:210709
TITLE: Method for the determination of the amylolytic
activity for enzyme preparations of microbiological
origin
AUTHOR(S): Fonberg-Broczek, Monika; Urbanek-Karlowska, Bogumila
CORPORATE SOURCE: Pol.
SOURCE: Metody Badania Prep. Enzym. (1977), 1-6. Panstw.
Zakl. Hig.: Warsaw, Pol.
CODEN: 43DIAC
DOCUMENT TYPE: Conference
LANGUAGE: Polish

L5 ANSWER 70 OF 92 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1975:405387 HCAPLUS
DOCUMENT NUMBER: 83:5387
TITLE: Smoking materials
INVENTOR(S): Mitchell, Terence George; Pritchard, John A.
PATENT ASSIGNEE(S): British-American Tobacco Co. Ltd., UK
SOURCE: S. African, 14 pp.
CODEN: SFXXAB
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|------------|------|------|-----------------|------|
|------------|------|------|-----------------|------|

| | | | |
|------------------------|-------|----------|-------------------------------|
| ----- | ----- | ----- | ----- |
| ZA 7303535 | A | 19740424 | ZA 1973-3535 |
| GB 1408293 | A | 19751001 | GB 1972-28786 |
| AU 7356253 | A1 | 19741205 | AU 1973-56253 |
| CA 984254 | A1 | 19760224 | CA 1973-172944 |
| PRIORITY APPLN. INFO.: | | | GB 1972-28786 A 19720620 |

L5 ANSWER 71 OF 92 HCAPLUS COPYRIGHT 2006 ACS on STN
 ACCESSION NUMBER: 1975:169017 HCAPLUS
 DOCUMENT NUMBER: 82:169017
 TITLE: Comparison in breadmaking of bacterial .alpha
 .-amylase, fungal .alpha
 .-amylase activities and of the activity of
 α-amylase extracted from barley cristallized
 malt (Cristomalt)
 AUTHOR(S): Berger, M.; Grandvoinnet, P.; Sennedot, Jacqueline;
 Courtadon, R.; Seck, A. S.
 CORPORATE SOURCE: Grands Moulins Pantin, Paris, Fr.
 SOURCE: Annales de Technologie Agricole (1974), 23(2), 161-74
 CODEN: ATAPAA; ISSN: 0003-4223
 DOCUMENT TYPE: Journal
 LANGUAGE: French

L5 ANSWER 72 OF 92 HCAPLUS COPYRIGHT 2006 ACS on STN
 ACCESSION NUMBER: 1975:545695 HCAPLUS
 DOCUMENT NUMBER: 83:145695
 TITLE: Application of microbial enzyme preparations in
 brewing. I. Evaluation of the technological use of
 various types of enzyme preparations
 AUTHOR(S): Cariapa, Subroto; Mostek, Josef
 CORPORATE SOURCE: Vys. Sk. Chem.-Technol., Prague, Czech.
 SOURCE: Sbornik Vysoke Skoly Chemicko-Technologicke v Praze,
 E: Potraviny (1974), E41, 129-39
 CODEN: SVSCAZ; ISSN: 0554-9701
 DOCUMENT TYPE: Journal
 LANGUAGE: English

L5 ANSWER 73 OF 92 HCAPLUS COPYRIGHT 2006 ACS on STN
 ACCESSION NUMBER: 1975:403315 HCAPLUS
 DOCUMENT NUMBER: 83:3315
 TITLE: Isolation, purification, and properties of bacterial
 and fungal amylases
 AUTHOR(S): Delecourt, R.
 CORPORATE SOURCE: Soc. Rapidase, Seclin, Fr.
 SOURCE: Annales de Technologie Agricole (1974), 23(2), 127-39
 CODEN: ATAPAA; ISSN: 0003-4223
 DOCUMENT TYPE: Journal
 LANGUAGE: French

L5 ANSWER 74 OF 92 HCAPLUS COPYRIGHT 2006 ACS on STN
 ACCESSION NUMBER: 1975:543667 HCAPLUS
 DOCUMENT NUMBER: 83:143667
 TITLE: Immobilization of enzymes by the radiopolymerization
 of acryl amide
 AUTHOR(S): Kawashima, K.; Umeda, K.
 CORPORATE SOURCE: Natl. Food Res. Inst., Minist. Agric. For., Tokyo,
 Japan
 SOURCE: Improv. Food Qual. Irradiat., Proc. Panel (1974),
 Meeting Date 1973, 119-28. IAEA: Vienna, Austria.
 CODEN: 31GEAO
 DOCUMENT TYPE: Conference
 LANGUAGE: English

L5 ANSWER 75 OF 92 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1973:533402 HCAPLUS
 DOCUMENT NUMBER: 79:133402
 TITLE: Enzymes agents. LXI. Separatory determination of enzymes. IX. Separatory determination of bacterial α -amylase and Aspergillus α -amylase
 AUTHOR(S): Sugiura, Mamoru; Ogiso, Taro; Iwata, Tadahiko; Amano, Suzuyo
 CORPORATE SOURCE: Tokyo Coll. Pharm., Tokyo, Japan
 SOURCE: Yakuzaigaku (1972), 32(4), 196-200
 CODEN: YAKUA2; ISSN: 0372-7629
 DOCUMENT TYPE: Journal
 LANGUAGE: Japanese

L5 ANSWER 76 OF 92 HCAPLUS COPYRIGHT 2006 ACS on STN
 ACCESSION NUMBER: 1973:417121 HCAPLUS
 DOCUMENT NUMBER: 79:17121
 TITLE: Influence of crust pigments in white baking
 AUTHOR(S): Benedickt, G.
 CORPORATE SOURCE: Kulmbach, Fed. Rep. Ger.
 SOURCE: Ber. Tag. Baeckerei-Technol., Vortr. Tag. (1972), 79-89. Granum-Verlag: Detmold, Ger.
 CODEN: 26RKAJ
 DOCUMENT TYPE: Conference
 LANGUAGE: German

L5 ANSWER 77 OF 92 HCAPLUS COPYRIGHT 2006 ACS on STN
 ACCESSION NUMBER: 1970:41765 HCAPLUS
 DOCUMENT NUMBER: 72:41765
 TITLE: Production of beer
 INVENTOR(S): Clayton, David H.
 PATENT ASSIGNEE(S): A.B.M. Industrial Products Ltd.
 SOURCE: S. African, 29 pp.
 CODEN: SFXXAB
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|------------------------|------|----------|-----------------|----------|
| ----- | ---- | ----- | ----- | ----- |
| ZA 6900044 | | 19690729 | | |
| PRIORITY APPLN. INFO.: | | | GB | 19680118 |

L5 ANSWER 78 OF 92 HCAPLUS COPYRIGHT 2006 ACS on STN
 ACCESSION NUMBER: 1969:511622 HCAPLUS
 DOCUMENT NUMBER: 71:111622
 TITLE: Stability of fungal α -amylase in relation to the active acidity of intermediates during commercial bread baking
 AUTHOR(S): Vedernikova, E. I.; Linetskaya, G. N.; Kozhukhar, M.
 CORPORATE SOURCE: Ukr. Nauch.-Issled. Inst. Pishch. Prom., USSR
 SOURCE: Fermenty Med., Pishch. Prom. Sel. Khoz. (1968), 221-2. Editor(s): Gulyi, M. F. Naukova Dumka: Kiev, USSR.
 CODEN: 21IIAZ
 DOCUMENT TYPE: Conference
 LANGUAGE: Russian

L5 ANSWER 79 OF 92 HCAPLUS COPYRIGHT 2006 ACS on STN
 ACCESSION NUMBER: 1967:455330 HCAPLUS
 DOCUMENT NUMBER: 67:55330
 TITLE: Noncrystallizing high-dextrose-equivalent sirups
 PATENT ASSIGNEE(S): Miles Laboratories, Inc.
 SOURCE: Brit., 5 pp.

CODEN: BRXXAA
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|------------------------|------|----------|-----------------|----------|
| ----- | ---- | ----- | ----- | ----- |
| GB 1071538 | | 19670607 | GB | |
| US 3329578 | | 19670000 | US | |
| PRIORITY APPLN. INFO.: | | | US | 19640908 |

L5 ANSWER 80 OF 92 HCAPLUS COPYRIGHT 2006 ACS on STN
ACCESSION NUMBER: 1961:101206 HCAPLUS
DOCUMENT NUMBER: 55:101206
ORIGINAL REFERENCE NO.: 55:19055d-f
TITLE: Detection and approximate estimation of fungal amylase
supplementation of wheat flour
AUTHOR(S): Hayden, K. J.
CORPORATE SOURCE: Novadel Ltd., London
SOURCE: Journal of the Science of Food and Agriculture (1961),
12, 123-7
CODEN: JSFAAE; ISSN: 0022-5142
DOCUMENT TYPE: Journal
LANGUAGE: Unavailable

L5 ANSWER 81 OF 92 HCAPLUS COPYRIGHT 2006 ACS on STN
ACCESSION NUMBER: 1963:62427 HCAPLUS
DOCUMENT NUMBER: 58:62427
ORIGINAL REFERENCE NO.: 58:10691e-f
TITLE: Production of fungal amylase for use in grain
distilleries
AUTHOR(S): Blaisten, Raul J.
CORPORATE SOURCE: Univ. Nacl., Tucuman, Argent.
SOURCE: Arch. Bioquim., Quim. Farm., Tucuman (1961), 9(2),
31-43
DOCUMENT TYPE: Journal
LANGUAGE: Spanish

L5 ANSWER 82 OF 92 HCAPLUS COPYRIGHT 2006 ACS on STN
ACCESSION NUMBER: 1957:91269 HCAPLUS
DOCUMENT NUMBER: 51:91269
ORIGINAL REFERENCE NO.: 51:16602h
TITLE: Stability of fungal .alpha
.-amylase
AUTHOR(S): Roy, Durlav K.
CORPORATE SOURCE: Indian Inst. Biochem. Exptl. Med., Calcutta
SOURCE: Ann. Biochem. and Exptl. Med. (Calcutta) (1956), 16,
121-2
DOCUMENT TYPE: Journal
LANGUAGE: Unavailable

L5 ANSWER 83 OF 92 HCAPLUS COPYRIGHT 2006 ACS on STN
ACCESSION NUMBER: 1957:91268 HCAPLUS
DOCUMENT NUMBER: 51:91268
ORIGINAL REFERENCE NO.: 51:16602g
TITLE: Isoelectric point of fungal .alpha
.-amylase
AUTHOR(S): Roy, Durlav K.
CORPORATE SOURCE: Indian Inst. Biochem. Exptl. Med., Calcutta
SOURCE: Ann. Biochem. and Exptl. Med. (Calcutta) (1956), 16,
119-20
DOCUMENT TYPE: Journal
LANGUAGE: Unavailable

L5 ANSWER 84 OF 92 HCAPLUS COPYRIGHT 2006 ACS on STN
ACCESSION NUMBER: 1957:91265 HCAPLUS
DOCUMENT NUMBER: 51:91265
ORIGINAL REFERENCE NO.: 51:16602d-e
TITLE: Heat stability of fungal .
alpha.-amylase
AUTHOR(S): Roy, Durlav K.
CORPORATE SOURCE: Indian Inst. Biochem. Exptl. Med., Calcutta
SOURCE: Ann. Biochem. and Exptl. Med. (Calcutta) (1956), 16,
111-12
DOCUMENT TYPE: Journal
LANGUAGE: Unavailable

L5 ANSWER 85 OF 92 HCAPLUS COPYRIGHT 2006 ACS on STN
ACCESSION NUMBER: 1956:32744 HCAPLUS
DOCUMENT NUMBER: 50:32744
ORIGINAL REFERENCE NO.: 50:6587f-g
TITLE: Temperature and pH optima of α -amylase
from *Aspergillus oryzae*
AUTHOR(S): Roy, Durlav K.
CORPORATE SOURCE: Indian Inst. Med. Research, Calcutta
SOURCE: Ann. Biochem. and Exptl. Med. (India) (1955), 15,
101-2
DOCUMENT TYPE: Journal
LANGUAGE: Unavailable

L5 ANSWER 86 OF 92 HCAPLUS COPYRIGHT 2006 ACS on STN
ACCESSION NUMBER: 1953:35095 HCAPLUS
DOCUMENT NUMBER: 47:35095
ORIGINAL REFERENCE NO.: 47:5977d-g
TITLE: Purification and characterization of fungal
.alpha.-amylase
AUTHOR(S): Bovard, Freeman C.
CORPORATE SOURCE: Iowa State Coll., Ames
SOURCE: Iowa State College Journal of Science (1953), 27,
132-3
CODEN: ISCJAF; ISSN: 0096-2783
DOCUMENT TYPE: Journal
LANGUAGE: Unavailable

L5 ANSWER 87 OF 92 HCAPLUS COPYRIGHT 2006 ACS on STN
ACCESSION NUMBER: 1954:19673 HCAPLUS
DOCUMENT NUMBER: 48:19673
ORIGINAL REFERENCE NO.: 48:3580g-i,3581a-f
TITLE: The use of fungal enzymes for breadmaking purposes
AUTHOR(S): Greup, D. H.; Hintzer, H. M. R.
CORPORATE SOURCE: Central Instituut Voor Voedingsonderzoek T.N.O.,
Wageningen, The Netherlands
SOURCE: 2nd Intern. Congr. Fermentation Inds. Knocke, Lectures
and Communs. (1952) 232-338
DOCUMENT TYPE: Journal
LANGUAGE: Unavailable

L5 ANSWER 88 OF 92 HCAPLUS COPYRIGHT 2006 ACS on STN
ACCESSION NUMBER: 1954:19674 HCAPLUS
DOCUMENT NUMBER: 48:19674
ORIGINAL REFERENCE NO.: 48:3580g-i,3581a-f
TITLE: The use of fungal enzymes for breadmaking purposes
AUTHOR(S): Greup, D. H.; Hintzer, H. M. R.
CORPORATE SOURCE: Central Instituut Voor Voedingsonderzoek T.N.O.,
Wageningen, Neth.
SOURCE: Central Inst. Voedingsonderzoek T.N.O. Afdel. Graan-,
Meel-en Broodonderzoek Wageningen, Mededel (1952), No.

44E,
DOCUMENT TYPE: Journal
LANGUAGE: Unavailable

L5 ANSWER 89 OF 92 HCAPLUS COPYRIGHT 2006 ACS on STN
ACCESSION NUMBER: 1951:19322 HCAPLUS
DOCUMENT NUMBER: 45:19322
ORIGINAL REFERENCE NO.: 45:3438e-g
TITLE: Crystallization of fungal .alpha.-
amylase and limit dextrinase
AUTHOR(S): Underkofler, L. A.; Roy, D. K.
CORPORATE SOURCE: Iowa State Coll., Ames
SOURCE: Cereal Chemistry (1951), 28, 18-29
CODEN: CECHAF; ISSN: 0009-0352
DOCUMENT TYPE: Journal
LANGUAGE: Unavailable

L5 ANSWER 90 OF 92 HCAPLUS COPYRIGHT 2006 ACS on STN
ACCESSION NUMBER: 1950:49498 HCAPLUS
DOCUMENT NUMBER: 44:49498
ORIGINAL REFERENCE NO.: 44:9495h-i,9496a
TITLE: Production of mold amylases in submerged culture. II.
Factors affecting the production of alpha-amylase and
maltase by certain aspergilli
AUTHOR(S): Tsuchiya, Henry M.; Corman, Julian; Koepsell, Harold
J.
SOURCE: Cereal Chemistry (1950), 27, 322-30
CODEN: CECHAF; ISSN: 0009-0352
DOCUMENT TYPE: Journal
LANGUAGE: Unavailable

L5 ANSWER 91 OF 92 BIOSIS COPYRIGHT (c) 2006 The Thomson Corporation on
STN
ACCESSION NUMBER: 2001:501383 BIOSIS
DOCUMENT NUMBER: PREV200100501383
TITLE: Cofermentation of whey permeate and starchy waste for
ethanol and biomass production.
AUTHOR(S): Fadel, M. [Reprint author]
CORPORATE SOURCE: Microbial Chemistry Department, National Research Centre,
Cairo, Egypt
SOURCE: Egyptian Journal of Microbiology, (2000 (2001)) Vol. 35,
No. 3, pp. 289-308. print.
CODEN: EJMB2. ISSN: 0301-8172.
DOCUMENT TYPE: Article
LANGUAGE: English
ENTRY DATE: Entered STN: 24 Oct 2001
Last Updated on STN: 23 Feb 2002

L5 ANSWER 92 OF 92 BIOSIS COPYRIGHT (c) 2006 The Thomson Corporation on
STN
ACCESSION NUMBER: 2001:457507 BIOSIS
DOCUMENT NUMBER: PREV200100457507
TITLE: Economic utilization of agro-industrial wastes through
solid state fermentation by Aspergillus niger F-21 for
alpha-amylase production.
AUTHOR(S): Fadel, M. [Reprint author]
CORPORATE SOURCE: Microbial Chemistry Department, National Research Centre,
Dokki, Cairo, Egypt
SOURCE: Egyptian Journal of Microbiology, (2000 (2001)) Vol. 35,
No. 2, pp. 173-189. print.
CODEN: EJMB2. ISSN: 0301-8172.
DOCUMENT TYPE: Article
LANGUAGE: English
ENTRY DATE: Entered STN: 26 Sep 2001

Last Updated on STN: 22 Feb 2002

=> e bisgard h/au

| | | |
|-----|-------|---------------------|
| E1 | 2 | BISGARD GERALD/AU |
| E2 | 45 | BISGARD GERALD E/AU |
| E3 | 1 --> | BISGARD H/AU |
| E4 | 1 | BISGARD H C/AU |
| E5 | 23 | BISGARD J C/AU |
| E6 | 16 | BISGARD J D/AU |
| E7 | 6 | BISGARD J DEWEY/AU |
| E8 | 1 | BISGARD JAY C/AU |
| E9 | 22 | BISGARD K/AU |
| E10 | 89 | BISGARD K M/AU |
| E11 | 1 | BISGARD K MAACH/AU |
| E12 | 9 | BISGARD K MAACK/AU |

=> e bisgard-Frantzen h/au

| | | |
|-----|-------|-----------------------|
| E1 | 1 | BISGARD P/AU |
| E2 | 1 | BISGARD POUL/AU |
| E3 | 0 --> | BISGARD-FRANTZEN H/AU |
| E4 | 2 | BISGARDFRANTZEN H/AU |
| E5 | 1 | BISGAWA F/AU |
| E6 | 2 | BISGAY K/AU |
| E7 | 1 | BISGAY L/AU |
| E8 | 6 | BISGEIER G/AU |
| E9 | 9 | BISGEIER G P/AU |
| E10 | 1 | BISGEIER GEORGE/AU |
| E11 | 2 | BISGES A/AU |
| E12 | 16 | BISGES A D/AU |

=> e frantzen henrik/au

| | | |
|-----|-------|----------------------------|
| E1 | 1 | FRANTZEN H P/AU |
| E2 | 1 | FRANTZEN HANDELAND G/AU |
| E3 | 0 --> | FRANTZEN HENRIK/AU |
| E4 | 3 | FRANTZEN HENRIK B/AU |
| E5 | 24 | FRANTZEN I/AU |
| E6 | 2 | FRANTZEN I M/AU |
| E7 | 4 | FRANTZEN INGE/AU |
| E8 | 2 | FRANTZEN INGE MARJOLEIN/AU |
| E9 | 34 | FRANTZEN J/AU |
| E10 | 5 | FRANTZEN J A/AU |
| E11 | 6 | FRANTZEN J F/AU |
| E12 | 20 | FRANTZEN J J/AU |

=> s e4

L6 3 "FRANTZEN HENRIK B"/AU

=> e svendsen a/au

| | | |
|-----|---------|------------------------|
| E1 | 1 | SVENDSE F/AU |
| E2 | 6 | SVENDSEN/AU |
| E3 | 412 --> | SVENDSEN A/AU |
| E4 | 1 | SVENDSEN A A/AU |
| E5 | 363 | SVENDSEN A B/AU |
| E6 | 109 | SVENDSEN A BAERHEIM/AU |
| E7 | 1 | SVENDSEN A BARHEIM/AU |
| E8 | 17 | SVENDSEN A J/AU |
| E9 | 12 | SVENDSEN A K/AU |
| E10 | 1 | SVENDSEN A L/AU |
| E11 | 4 | SVENDSEN A M/AU |
| E12 | 3 | SVENDSEN A M B/AU |

=> s e3

L7 412 "SVENDSEN A"/AU

=> e pedersen s/au

E1 1 PEDERSEN RUNE J S/AU
E2 1 PEDERSEN RUTH L/AU
E3 1382 --> PEDERSEN S/AU
E4 4 PEDERSEN S */AU
E5 559 PEDERSEN S A/AU
E6 7 PEDERSEN S A S/AU
E7 1 PEDERSEN S ANKER/AU
E8 418 PEDERSEN S B/AU
E9 1 PEDERSEN S BOEL/AU
E10 64 PEDERSEN S C/AU
E11 15 PEDERSEN S D/AU
E12 1 PEDERSEN S DIAMETER REN/AU

=> s e3

L8 1382 "PEDERSEN S"/AU

=> d his

(FILE 'HOME' ENTERED AT 10:24:31 ON 12 JAN 2006)

FILE 'MEDLINE, EMBASE, BIOSIS, BIOTECHDS, SCISEARCH, HCAPLUS, NTIS, LIFESCI' ENTERED AT 10:25:20 ON 12 JAN 2006

L1 53363 S ALPHA (W) AMYLASE?
L2 352188 S FUNGAMYL OR FUNGAL
L3 585 S L1(A)L2
L4 140 S (THREMOSTABILITY OR STABILITY OR "PH") AND L3
L5 92 DUP REM L4 (48 DUPLICATES REMOVED)
E BISGARD H/AU
E BISGARD-FRANTZEN H/AU
E FRANTZEN HENRIK/AU
L6 3 S E4
E SVENDSEN A/AU
L7 412 S E3
E PEDERSEN S/AU
L8 1382 S E3

=> s l6 or l7 or l8

L9 1795 L6 OR L7 OR L8

=> s l3 and l9

L10 7 L3 AND L9

=> dup rem l10

PROCESSING COMPLETED FOR L10

L11 4 DUP REM L10 (3 DUPLICATES REMOVED)

=> d 1-4 ibib ab

L11 ANSWER 1 OF 4 BIOTECHDS COPYRIGHT 2006 THE THOMSON CORP. on STN

ACCESSION NUMBER: 2005-10916 BIOTECHDS

TITLE: Producing fungal alpha-amylase

variants which is useful for preparing dough or baked from
dough product, based on comparison of three-dimensional
structures of fungal alpha-
amylase and maltogenic alpha-amylase;
recombinant alpha-amylase production for use in food
industry

AUTHOR: SVENDSEN A; BEIER L; VIND J; SPENDLER T; JENSEN M T

PATENT ASSIGNEE: NOVOZYMES AS

PATENT INFO: WO 2005019443 3 Mar 2005

APPLICATION INFO: WO 2004-DK558 23 Aug 2004

PRIORITY INFO: DK 2003-1201 22 Aug 2003; DK 2003-1201 22 Aug 2003

DOCUMENT TYPE: Patent
LANGUAGE: English
OTHER SOURCE: WPI: 2005-202646 [21]
AB DERWENT ABSTRACT:

NOVELTY - Producing (M1) a variant polypeptide, by superimposing three-dimensional model of fungal alpha-amylase and for maltogenic alpha-amylase, selecting amino acid residue in fungal amylase with C-alpha atom located greater than 0.8Angstrom from C-alpha atom of amino acid residue in maltogenic alpha-amylase and less than 11Angstrom from atom of enzyme substrate, altering the fungal amylase sequence, and producing the polypeptide having resulting amino acid sequence.

DETAILED DESCRIPTION - Producing (M1) a variant polypeptide, involves providing an amino acid sequence and a three-dimensional model for a fungal alpha-amylase and for maltogenic alpha-amylase, where one or both models includes a substrate, superimposing the two three-dimensional models, selecting an amino acid residue in the fungal amylase which has C-alpha atom located greater than 0.8Angstrom from the C-alpha atom of any amino acid residue in the maltogenic alpha-amylase and less than 11Angstrom from an atom of a substrate, altering the fungal amylase sequence, where the alteration includes substitution or deletion of the selected residue or by insertion of a residue adjacent to the selected residue, and producing the polypeptide having the resulting amino acid sequence. An INDEPENDENT CLAIM is also included for a polypeptide (I) comprising (a) an amino acid sequence having at least 70% identity to a fully defined 478 amino acids (SEQ ID No:2) sequence given in the specification, and compared to SEQ ID No:2 comprises an amino acid alteration which is a deletion, substitution or insertion at a position corresponding to 15, 32-36, 63-64, 73-77, 119-120, 125-126, 151-152, 155-156, 167-172, 211 or 233-239, and has the ability to hydrolyze starch, (b) has an amino acid sequence having at least 70% identity to a fully defined 476 amino acids (SEQ ID No:3) sequence given in the specification, compared to SEQ ID No:3 comprises an amino acid alteration which comprises Q35K, Q35R, P70K, L151F, L151D, N233G+G234D, D75G, D75A or 166-171 (Glu-Gly-Asp-Thr-Ile-Val) substituted with Phe-Thr-Asp-Pro-Ala-Gly-Phe, and has the ability to hydrolyze starch, or (c) has an amino acid sequence having at least 70% identity to a fully defined 475 amino acids (SEQ ID No:4) sequence given in the specification, compared to SEQ ID No:4 comprises an amino acid alteration which comprises G35K, G35R, A76deletion+D77deletion, D74deletion+A78deletion, D74A, D74G, D77A, D77G, Y157W or L168F+A169T+T171P+P172A+T173G, and has the ability to hydrolyze starch.

BIOTECHNOLOGY - Preferred Method: In (M1), the substitution or insertion is made with an amino acid residue of the same type as the corresponding residue in the maltogenic alpha-amylase sequence, where the type is positively charged, negatively charged, hydrophilic or hydrophobic. The substitution or insertion is made with a larger or smaller amino acid residue depending on whether the corresponding residue in the maltogenic alpha-amylase sequence is larger or smaller. The alteration of the amino acid sequence further comprises substitution of a fungal alpha-amylase residue which has a C-alpha atom located less than 11Angstrom from an atom of a substrate and less than 0.8Angstrom from the C-alpha atom of a maltogenic alpha-amylase residue. The substitution is made with an amino acid residue of the same type as the corresponding maltogenic alpha-amylase residue, where the type is positive, negative, hydrophilic or hydrophobic. Preferred Polypeptide: In (I), the alteration corresponding to Q35K/R, Y75A/F, Y155W, L166F, G167T, N169P, T170A, L232Y, D233G, G234D, Y252F, Y256T, 166Leu-Gly-Asp-Asn-Thr-Val171 to Phe-Thr-Asp-Pro-Ala-Gly-Phe, 168-171 (Asp-Asn-Thr-Val) substituted with Asp-Pro-Ala-Gly-Phe, 168-171 (Asp-Asn-Thr-Val) substituted with Asp-Pro-Ala-Gly-Leu, 168-171 (Asp-Asn-Thr-Val) substituted with Asp-Pro-Ala-Gly-Cys, D233G+G234D, Q35K+Y75F+D168Y, Q35R+Y75F, Q35R+Y75F+D168Y, 168-171 (Asp-Asn-Thr-Val) substituted with Asp-Pro-Ala-Gly-Phe+Y75A, 168-171 (Asp-Asn-Thr-Val)

substituted with Asp-Pro-Ala-Gly-Phe+Q35K+Y75A, 168-171 (Asp-Asn-Thr-Val) substituted with Asp-Pro-Ala-Gly-Phe+Q35K+Y75A+D233G+G234D, 168-171 (Asp-Asn-Thr-Val) substituted with Asp-Pro-Ala-Gly-Phe+Y75A+G234D, 168-171 (Asp-Asn-Thr-Val) substituted with Asp-Pro-Ala-Gly-Phe+Y75A+D233G+G234D, 166-171 (Leu-Gly-Asp-Asn-Thr-Val) substituted with Phe-Thr-Asp-Pro-Ala-Gly-Phe+Y75A, 166-171 (Leu-Gly-Asp-Asn-Thr-Val) substituted with Phe-Thr-Asp-Pro-Ala-Gly-Phe+Q35K+Y75A and 166-171 (Leu-Gly-Asp-Asn-Thr-Val) substituted with Phe-Thr-Asp-Pro-Ala-Gly-Phe+Q35K+Y75A+D233G+G234D.

USE - (M1) is useful for producing a variant polypeptide. The polypeptide produced by (M1) is useful for preparing a dough or a baked from dough product (all claimed). The polypeptide of (M1) is useful for anti-staling in baked products.

ADVANTAGE - The variant polypeptide has improved anti-staling effect and higher degree of exo-amylase activity. (26 pages)

L11 ANSWER 2 OF 4 BIOTECHDS COPYRIGHT 2006 THE THOMSON CORP. on STN

ACCESSION NUMBER: 2005-04822 BIOTECHDS

TITLE: Producing soluble starch hydrolysate comprises subjecting aqueous granular starch slurry below initial gelatinization temperature of granular starch to action of Glycoside Hydrolase Family13 enzyme, and fungal amylase; fungus alpha-amylase, beta-amylase or glucoamylase-catalyzed starch hydrolysis for use in high fructose starch-based syrup, ethanol or sweetener production

AUTHOR: VIKSOE-NIELSEN A; ANDERSEN C; PEDERSEN S; HJORT C

PATENT ASSIGNEE: NOVOZYMES AS

PATENT INFO: WO 2004113551 29 Dec 2004

APPLICATION INFO: WO 2004-DK456 25 Jun 2004

PRIORITY INFO: DK 2003-1568 24 Oct 2003; DK 2003-949 25 Jun 2003

DOCUMENT TYPE: Patent

LANGUAGE: English

OTHER SOURCE: WPI: 2005-075255 [08]

AB DERWENT ABSTRACT:

NOVELTY - Producing (M1) soluble starch hydrolysate, by subjecting aqueous granular starch slurry to action of first and second enzyme, where first enzyme is member of Glycoside Hydrolase Family13, having alpha-1,4-glucosidic hydrolysis activity and comprising functional carbohydrate-binding module; and second enzyme is a fungal alpha-amylase, beta-amylase or glucoamylase.

DETAILED DESCRIPTION - Producing (M1) a soluble starch hydrolysate, involves subjecting an aqueous granular starch slurry at a temperature below the initial gelatinization temperature of the granular starch to the action of a first enzyme and a second enzyme, where the first enzyme is a member of the Glycoside Hydrolase Family13, has alpha-1,4-glucosidic hydrolysis activity, and comprises a functional carbohydrate-binding module (CBM) belonging to CBM Family 20 having an amino acid sequence having at least 60% homology to a fully defined sequence of 102, 99 or 102 amino acids (S1) as given in the specification, and where the second enzyme is chosen from a fungal alpha-amylase

(EC 3.2.1.1), beta-amylase (E.C. 3.2.1.2), and a glucoamylase (E.C. 3.2.1.3). INDEPENDENT CLAIMS are also included for the following: (1) a process (M2) for production of high fructose starch-based syrup (HFSS), where a soluble starch hydrolysate produced by (M1) is subjected to conversion into HFSS, such as high fructose corn syrup (HFCS); (2) process (M3) for production of a fermentation product, where a soluble starch hydrolysate produced by (M1) is subjected to fermentation into a fermentation product, such as citric acid, monosodium glutamate, gluconic acid, sodium gluconate, calcium gluconate, potassium gluconate, glucono delta lactone, sodium erythorbate, itaconic acid, lactic acid, gluconic acid, ketones, amino acids, glutamic acid (sodium monoglutamate), penicillin, tetracycline, enzymes, vitamins, such as riboflavin, B12, beta-carotene or hormones; (3) a process (M4) for production of fuel or potable ethanol, where a soluble starch hydrolysate produced by (M1) is

subjected to fermentation into ethanol; (4) use of an enzyme (I) having alpha-amylase activity in a process for hydrolysis of starch, the enzyme comprising a functional CBM having an amino acid sequence having at least 60% homology to (S1), or an amino acid sequence having at least 75%, 80%, 85%, 90%, 95%, 98%, such as at least 99% homology to an amino acid sequence chosen from a fully defined sequence of 619, 613, 619 and 640 amino acids (S2) as given in the specification; and (5) use of an enzyme having alpha-amylase activity in a process for hydrolysis of granular starch, the enzyme comprising an amino acid sequence having at least 75%, 80%, 85%, 90%, 95%, 98%, such as at least 99% homology to an amino acid sequence chosen from a fully defined sequence of 484, 485, 484, 517, 550, 482, 482, 482, 483, 483, 483, 485, 484, 485 amino acids (S3) as given in the specification.

BIOTECHNOLOGY - Preferred Method: In (M1), the alpha-amylase comprises a functional CBM having at least 55%, 60%, 65%, 70%, 75%, 80%, 85%, 90%, 95%, 98%, such as at least 99% homology to (S1) or an amino acid sequence having at least 75%, 80%, 85%, 90%, 95%, 98%, such as at least 99% homology to (S2) or (S3). The starch slurry has 20-55% dry solids granular starch, preferably 25-40% dry solids granular starch, more preferably 30-35% dry solids, especially around 33% dry solids granular starch. In (M1), at least 85-98%, preferably 99% of the dry solids of the granular starch are converted into a soluble starch hydrolysate. (M1) involves subjecting the granular starch slurry to the action of an isoamylase and/or pullulanase. The temperature is at least 58 degrees C, 59 degrees C, preferably 60 degrees C. The pH is 3.0-7.0, preferably 3.5-6.0, more preferably 4.0-5.0. The soluble starch hydrolysate has a DX of at least 94.5%, 95.0%, 95.5%, 96.0%, 96.5%, 97.0%, 97.5%, 98.0%, 98.5%, 99.0% or at least 99.5%. (M1) is conducted in an ultrafiltration system, or in a continuous membrane reactor with ultrafiltration or microfiltration membranes, and where the retentate is held under recirculation in presence of enzymes, raw starch and water, where the permeate is the soluble starch hydrolysate. (M1-M4) are conducted in an ultrafiltration system or in a continuous membrane reactor with ultrafiltration membranes, where the retentate is held under recirculation in the presence of enzymes, raw starch, yeast, yeast nutrients and water and the permeate is an ethanol containing liquid. The starch slurry is being contacted with a polypeptide comprising a CBM, but no catalytic module, that is a loose CBM. In (M4), the fermentation step is carried out simultaneously or separately/sequential to the hydrolysis of the granular starch. Preferred Components: The granular starch is obtained from tubers, roots, stems, whole grain, cereals, corn, cobs, wheat, barley, rye, milo, sago, cassava, tapioca, sorghum, rice or potatoes, or from dry milling of whole grain, wet milling of whole grain, or milled corn grits

USE - (M1) is useful for producing a soluble starch hydrolysate which is useful for production of high fructose starch-based syrup (HFSS), a fermentation product, fuel or potable ethanol. (I) is useful for hydrolysis of granular starch (claimed). The hydrolysates are useful as sweeteners or as precursors for other saccharides, such as fructose.

EXAMPLE - A slurry with 33% dry solids (DS) granular starch was prepared by adding 247.5 g of wheat starch under stirring to 502.5 ml of water. The pH was adjusted with HCl to 4.5. The granular starch slurry was distributed to 100 ml blue cap flasks with 75 g in each flask. The flasks were incubated with magnetic stirring in a 60 degrees C water bath. At zero hours the enzyme activities were dosed to the flasks. Samples were withdrawn after 24, 48, 72, and 96 hours. The starch was completely hydrolyzed by adding an excess amount of alpha-amylase (300 KNU/Kg dry solids) and placing the sample in an oil bath at 95 degrees C for 45 minutes. Subsequently the samples were cooled to 60 degrees C and an excess amount of glucoamylase (600 AGU/kg DS) was added followed by incubation for 2 hours at 60 degrees C. Soluble dry solids in the starch hydrolysate were determined by refractive index measurement on samples after filtering through a 0.22 microm filter. The sugar profile was determined by HPLC. The amount of glucose was calculated as DX. The

amount of the soluble hydrolysate obtained after 24, 48, 72 and 96 hours were 88.4, 92.4, 93.7 and 95.3, respectively. (68 pages)

L11 ANSWER 3 OF 4 BIOTECHDS COPYRIGHT 2006 THE THOMSON CORP. on STN

ACCESSION NUMBER: 2003-04043 BIOTECHDS

TITLE: Production of fermentation product, e.g. ethanol, involves carrying out a fermentation step with at least one carbohydrate-source generating enzyme activity and at least one alpha-amylase activity;
with use of *Bacillus stearothermophilus*, *Aspergillus niger*, *Talaromyces emersonii* or *Rhizomucor miehei* alpha-amylase

AUTHOR: OLSEN H S; PEDERSEN S; BECKERICH R; VEIT C; FELBY C

PATENT ASSIGNEE: NOVOZYMES AS; NOVOZYMES NORTH AMERICA INC

PATENT INFO: WO 2002074895 26 Sep 2002

APPLICATION INFO: WO 2002-DK179 19 Mar 2002

PRIORITY INFO: US 2001-304380 10 Jul 2001; US 2001-277383 19-Mar 2001

DOCUMENT TYPE: Patent

LANGUAGE: English

OTHER SOURCE: WPI: 2002-723447 [78]

AB DERWENT ABSTRACT:

NOVELTY - A fermentation product is produced by carrying out a fermentation step in the presence of at least one carbohydrate-source generating enzyme activity and at least one alpha-amylase activity.

DETAILED DESCRIPTION - INDEPENDENT CLAIMS are included for the following: (a) A composition comprising: (i) carbohydrate-source generating enzyme activity; (ii) alpha-amylase activity, protease activity; and (iii) debranching enzyme activity; and (b) Use of the composition for saccharification and/or fermentation, for ethanol production or for beer or wine production.

BIOTECHNOLOGY - Preferred Component: The carbohydrate-source generating enzyme is a glucoamylase particularly derived from *Aspergillus niger* or *Talaromyces emersonii*, beta-amylase particularly derived from barley or a maltogenic amylase particularly derived from *Bacillus stearothermophilus*. The alpha-amylase is an acid alpha-amylase, particularly an acid fungal alpha-amylase, e.g. an acid fungal alpha-amylase derived from *A. niger* or *A. oryzae*. The ratio between the acid fungal alpha-amylase activity (AFAU) per glucoamylase activity (AGU) (AFAU per AU) is at least 0.1 (particularly at least 0.16), preferably 0.12-0.3. The protease is an acid protease, particularly an acid fungal protease, e.g. an acid fungal protease derived from a strain of *Aspergillus* (particularly *A. niger* or *A. oryzae*) or a strain of *Rhizomucor* (particularly *R. miehei*) or a bacterial protease, e.g. acid, neutral or alkaline protease, (e.g., a protease derived from a strain of *Bacillus*) particularly ALCALASE or NEUTRASE. The debranching enzyme is an isoamylase (E.C. 3.2.1.68) or pullulanase (E.C. 3.2.1.41), particularly a pullulanase derived from *Bacillus* sp., e.g. a strain of *B. deramificans*, *B. acidopullulyticus* or *B. naganoensis*. The glucoamylase/pullulanase ratio determined as AGU/PUN is 5:1-1:5. The micro-organism is a yeast, e.g. a yeast belonging to *Saccharomyces* spp. (particularly *Saccharomyces cerevisiae*). The material to be fermented is a liquefied whole grain mash or a side stream from starch processing, particularly liquefied starch with a DE of 8-10. The yeast cell wall degrading enzyme is a preparation, e.g. the product GLUCANEX (RTM: enzyme) derived from *Trichoderma harzianum*.

USE - The inventive process is used for producing a fermentation product, preferably ethanol, beer or wine. The produced ethanol can be used as fuel ethanol, drinking ethanol (i.e., potable neutral spirits) or industrial alcohol. The grain, a left-over from the fermentation or distillation steps, is typically used for animal feed either in liquid or dried form.

ADVANTAGE - The inventive method results in increased fermentation rate and ethanol yield.

EXAMPLE - Washed yeast (2.5 g) was suspended in ion-exchanged water (100 mL) at room temperature. The suspension was stirred on a magnetic stirrer for 15 minutes. Samples (15 mL) were transferred to centrifuge tubes with volume indication. Sodium chloride (NaCl), calcium chloride (CaCl₂) and *Rhizomucor miehei* protease was added to create the solutions of 250 mM NaCl, 4 mM calcium chloride (CaCl₂) and 4 mM CaCl₂ and *R. miehei* protease. Incubation of the solutions was made at room temperature for 15 minutes in a rotary shaker, which turned the closed tubes end-over-end at 20 rpm. The tubes were left in vertical position for 60 minutes after which the volume of the sediment was measured. The results showed the effect of *R. miehei* protease on volume of sediment. For the solution containing 250 mM NaCl the volume of sediment was 0.165 mL, and for the solution containing 4 mM CaCl₂ the volume of sediment was 0.245 mL and for the solution containing 4 mM CaCl₂ and *R. miehei* protease the volume of sediment was 0.194 mL. (38 pages)

L11 ANSWER 4 OF 4 MEDLINE on STN DUPLICATE 1
 ACCESSION NUMBER: 2000417503 MEDLINE
 DOCUMENT NUMBER: PubMed ID: 10924103
 TITLE: Structural analysis of a chimeric bacterial alpha-amylase. High-resolution analysis of native and ligand complexes.
 AUTHOR: Brzozowski A M; Lawson D M; Turkenburg J P; Bisgaard-Frantzen H; Svendsen A; Borchert T V; Dauter Z; Wilson K S; Davies G J
 CORPORATE SOURCE: Department of Chemistry, Structural Biology Laboratory, University of York, Heslington, UK.
 SOURCE: Biochemistry, (2000 Aug 8) 39 (31) 9099-107. Journal code: 0370623. ISSN: 0006-2960.
 PUB. COUNTRY: United States
 DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)
 LANGUAGE: English
 FILE SEGMENT: Priority Journals
 OTHER SOURCE: PDB-1E3X; PDB-1E3Z; PDB-1E43; PDB-1E4PHI
 ENTRY MONTH: 200009
 ENTRY DATE: Entered STN: 20000915
 Last Updated on STN: 20000922
 Entered Medline: 20000907

AB Several chimeric alpha-amylases genes were constructed by an in vivo recombination technique from the *Bacillus amyloliquefaciens* and *Bacillus licheniformis* genes. One of the fusion amylases (hereafter BA2), consisting of residues 1-300 from *B. amyloliquefaciens* and 301-483 from *B. licheniformis*, has been extensively studied by X-ray crystallography at resolutions between 2.2 and 1.7 Å. The 3-dimensional structure of the native enzyme was solved by multiple isomorphous replacement, and refined at a resolution of 1.7 Å. It consists of 483 amino acids, organized similarly to the known *B. licheniformis* alpha-amylase structure [Machius et al. (1995) J. Mol. Biol. 246, 545-559], but features 4 bound calcium ions. Two of these form part of a linear cluster of three ions, the central ion being attributed to sodium. This cluster lies at the junction of the A and B domains with one calcium of the cluster structurally equivalent to the major Ca(2+) binding site of fungal alpha-amylases. The third calcium ion is found at the interface of the A and C domains. BA2 contains a fourth calcium site, not observed in the *B. licheniformis* alpha-amylase structure. It is found on the C domain where it bridges the two beta-sheets. Three acid residues (Glu261, Asp328, and Asp231) form an active site similar to that seen in other amylases. In the presence of TRIS buffer, a single molecule of TRIS occupies the -1 subsite of the enzyme where it is coordinated by the three active-center carboxylates. Kinetic data reveal that BA2 displays properties intermediate to those of its parents. Data for crystals soaked in maltooligosaccharides reveal the presence of a maltotriose binding site on the N-terminal face of the (beta/alpha)(8) barrel of the molecule, not previously described for any alpha-amylase structure, the biological function of which is unclear. Data for a complex soaked with the

tetrasaccharide inhibitor acarbose, at 1.9 Å, reveal a decasaccharide moiety, spanning the -7 to +3 subsites of the enzyme. The unambiguous presence of three unsaturated rings in the (2)H(3) half-chair/(2)E envelope conformation, adjacent to three 6-deoxypyranose units, clearly demonstrates synthesis of this acarbose-derived decasaccharide by a two-step transglycosylation mechanism.

=> d his

(FILE 'HOME' ENTERED AT 10:24:31 ON 12 JAN 2006)

FILE 'MEDLINE, EMBASE, BIOSIS, BIOTECHDS, SCISEARCH, HCAPLUS, NTIS, LIFESCI' ENTERED AT 10:25:20 ON 12 JAN 2006

```
L1      53363 S ALPHA (W) AMYLASE?
L2      352188 S FUNGAMYL OR FUNGAL
L3      585 S L1(A)L2
L4      140 S (THERMOSTABILITY OR STABILITY OR "PH") AND L3
L5      92 DUP REM L4 (48 DUPLICATES REMOVED)
        E BISGARD H/AU
        E BISGARD-FRANTZEN H/AU
        E FRANTZEN HENRIK/AU
L6      3 S E4
        E SVENDSEN A/AU
L7      412 S E3
        E PEDERSEN S/AU
L8      1382 S E3
L9      1795 S L6 OR L7 OR L8
L10     7 S L3 AND L9
L11     4 DUP REM L10 (3 DUPLICATES REMOVED)
```

| | Issue Date | Page s | Document ID | Title |
|---|------------|--------|--------------------------|--|
| 1 | 20060105 | 57 | US 2006000340 8 A1 | Acid-stable alpha amylases having granular starch hydrolyzing activity and enzyme compositions |
| 2 | 20051201 | 50 | US 2005026654 3 A1 | Heterologous expression of an Aspergillus kawachi acid-stable alpha amylase and applications in granular starch hydrolysis |
| 3 | 20051124 | 21 | US 2005026071 9 A1 | Method of producing saccharide preparations |
| 4 | 20051006 | 11 | US 2005022095 1 A1 | Ethanol extraction of phytosterols from corn fiber |
| 5 | 20050811 | 6 | US 2005017612 0 A1 | Method for the production of lactic acid or a salt thereof by simultaneous saccharification and fermentation of starch |
| 6 | 20050721 | 63 | US 2005015883 9 A1 | Hybrid enzymes |
| 7 | 20050623 | 60 | US 2005013652 5 A1 | Expression of granular starch hydrolyzing enzymes in Trichoderma and process for producing glucose from granular starch substrates |
| 8 | 20050616 | 14 | US 2005012980 6 A1 | Coated products containing hydrogenated indigestible starch syrup as a binding agent |

| | | | | |
|---|----------|----|--------------------------|----------------|
| 9 | 20050519 | 20 | US 2005010733 2 A1 | Starch process |
|---|----------|----|--------------------------|----------------|

| | L # | Hits | Search Text |
|---|------------|-------------|------------------------------|
| 1 | L1 | 8963 | alpha adj amylase\$2 |
| 2 | L2 | 5020 2 | fungamy or fungal |
| 3 | L3 | 5022 9 | fungamyl or fungal |
| 4 | L4 | 1002 | l1 same l3 |
| 5 | L5 | 4699 94 | thremostabl\$3 or "pH" |
| 6 | L6 | 117 | l4 same l5 |
| 7 | L7 | 1176 9 | SVENDSEN BISGARD PEDERSEN |
| 8 | L8 | 10 | l6 and l7 |

| | Issue Date | Pages | Document ID | Title |
|----|------------|-------|--------------------------|--|
| 10 | 20050310 | 60 | US 2005005407 1 A1 | Enzymes for starch processing |
| 11 | 20050303 | 40 | US 2005004861 1 A1 | Polypeptides having alpha-amylase activity and polypeptides encoding same |
| 12 | 20050224 | 38 | US 2005004273 7 A1 | Starch process |
| 13 | 20041118 | 17 | US 2004022976 4 A1 | Fungamyl-like alpha-amylase variants |
| 14 | 20040513 | 9 | US 2004009160 1 A1 | Liquid yeast compositions |
| 15 | 20040401 | 17 | US 2004006318 4 A1 | Fermentation processes and compositions |
| 16 | 20040325 | 22 | US 2004005805 2 A1 | Products comprising corn oil and corn meal obtained from high oil corn |
| 17 | 20040325 | 9 | US 2004005805 1 A1 | Enzymatic process for generation of foods, feedstuffs and ingredients therefor |
| 18 | 20040304 | 66 | US 2004004408 7 A1 | Use of hop acids in fuel ethanol production |
| 19 | 20040205 | 13 | US 2004002334 9 A1 | Processes for making ethanol |
| 20 | 20031204 | 23 | US 2003022449 6 A1 | Method of producing fermentation-based products from corn |
| 21 | 20031009 | 8 | US 2003019039 9 A1 | Liquid bread improving compositions |

| | | | | |
|----|----------|----|--------------------------|---|
| 22 | 20031009 | 13 | US 2003019038 7 A1 | Coated products containing hydrogenated indigestible starch syrup as a binding agent |
|----|----------|----|--------------------------|---|

| | Issue Date | Pages | Document ID | Title |
|----|------------|-------|--------------------------|---|
| 23 | 20030703 | 6 | US 2003012422 4 A1 | Process for the production of enzyme granules |
| 24 | 20030501 | 25 | US 2003008351 2 A1 | Corn oil processing and products comprising corn oil and corn meal obtained from corn |
| 25 | 20021219 | 22 | US 2002019361 7 A1 | Products comprising corn oil and corn meal obtained from high oil corn |
| 26 | 20021219 | 6 | US 2002019229 1 A1 | Amylose products as matrix former for programmed release systems, process for preparing these amylose products, and process for making programmed release systems |
| 27 | 20021107 | 23 | US 2002016472 3 A1 | Method of producing saccharide preparations |
| 28 | 20020627 | 19 | US 2002008217 8 A1 | Thickened hard surface cleaner |
| 29 | 20020627 | 10 | US 2002008136 7 A1 | NON-DAIRY, READY-TO-USE MILK SUBSTITUTE, AND PRODUCTS MADE THEREWITH |
| 30 | 20020516 | 7 | US 2002005808 6 A1 | Methods and compositions for retarding the staling of baked goods |
| 31 | 20020314 | 14 | US 2002003213 1 A1 | Malodor counteractant compositions and methods for preparing and using same |
| 32 | 20020110 | 9 | US 2002000408 4 A1 | DRY BAKERY PRODUCTS AND A PROCESS FOR THEIR PREPARATION |

| | Issue Date | Pages | Document ID | Title |
|----|------------|-------|---------------|---|
| 33 | 20050816 | 25 | US 6929940 B1 | Polynucleotides encoding oxalate decarboxylase from <i>Aspergillus niger</i> and methods of use |
| 34 | 20050315 | 12 | US 6866876 B2 | Coated chewing gum products containing hydrogenated indigestible starch syrup as a binding agent |
| 35 | 20050118 | 6 | US 6844172 B2 | Amylose products as matrix former for programmed release systems, process for preparing these amylose products, and process for making programmed release systems |
| 36 | 20031118 | 9 | US 6649197 B2 | Dry bakery products and a process for their preparation |
| 37 | 20031118 | 34 | US 6649191 B1 | Orally administrable compositions comprising cation cross-linked polysaccharide and a polymer digestible in the lower gastrointestinal tract |
| 38 | 20031118 | 19 | US 6648930 B2 | Products comprising corn oil and corn meal obtained from high oil corn |
| 39 | 20031021 | 7 | US 6635289 B2 | Methods and compositions for retarding the staling of baked goods |
| 40 | 20031007 | 15 | US 6630434 B2 | Thickened hard surface cleaner |

| | | | | |
|----|----------|----|------------------|---|
| 41 | 20030826 | 22 | US 6610867 B2 | Corn oil processing and products comprising corn oil and corn meal obtained from corn |
|----|----------|----|------------------|---|

| | Issue Date | Page s | Document ID | Title |
|----|---------------|-----------|------------------|---|
| 42 | 20030527 | 8 | US 6569653 B1 | Method for producing ethanol with frequent input of yeast |
| 43 | 20030401 | 15 | US 6541443 B1 | Multifunctional detergent materials |
| 44 | 20021119 | 21 | US 6482942 B1 | Method of isolating mucilaginous polysaccharides and uses thereof |
| 45 | 20020917 | 9 | US 6451369 B1 | Non-dairy, ready-to-use milk substitute, and products made therewith |
| 46 | 20020813 | 12 | US 6432891 B1 | Malodor counteractant compositions and methods for preparing and using same |
| 47 | 20020423 | 5 | US 6376219 B1 | Amylose products as matrix former for programmed release systems, process for preparing these amylose products, and process for making programmed release systems |
| 48 | 20011016 | 19 | US 6303346 B1 | Method of producing saccharide preparations |
| 49 | 20010731 | 15 | US 6268324 B1 | Thickened hard surface cleaner |
| 50 | 20010313 | 17 | US 6200944 B1 | Bleach precursor compositions |
| 51 | 20010220 | 7 | US 6190708 B1 | Enzyme preparations for modifying cereal suspensions |
| 52 | 20001024 | 15 | US 6136571 A | Method of producing saccharide preparations |
| 53 | 20001010 | 19 | US 6129788 A | Method of producing saccharide preparations |

| | Issue Date | Page s | Document ID | Title |
|----|------------|--------|--------------|--|
| 54 | 20000808 | 19 | US 6100073 A | Acid-stable and thermo-stable enzymes derived from sulfolobus species |
| 55 | 20000425 | 19 | US 6054302 A | High solids, single phase process for preparing enzyme-converted starches |
| 56 | 20000215 | 14 | US 6025168 A | Method for the production of isomalto-oligosaccharide rich syrups |
| 57 | 19991228 | 22 | US 6008178 A | Detergent composition comprising cationic ester surfactant and protease enzyme |
| 58 | 19991005 | 6 | US 5962276 A | Purified acid-stable alpha-amylase from fungal origin |
| 59 | 19981110 | 9 | US 5833757 A | Process for conversion of bananas to sugar syrup |
| 60 | 19980630 | 4 | US 5773055 A | Process for preparing a bean flavor |
| 61 | 19980210 | 5 | US 5716654 A | Dry yeast compositions and processes for preparing the same |
| 62 | 19980203 | 9 | US 5714341 A | Saliva assay method and device |
| 63 | 19971014 | 36 | US 5677474 A | Producing commercially valuable polypeptides with genetically transformed endosperm tissue |
| 64 | 19970902 | 13 | US 5662901 A | Enzymatic grain conditioner and methods of using it |
| 65 | 19970729 | 4 | US 5651828 A | Fat substitute for processed foods |

| | Issue Date | Pages | Document ID | Title |
|----|------------|-------|--------------|---|
| 66 | 19961015 | 5 | US 5565226 A | Immobilized enzyme for removal of residual cyclodextrin |
| 67 | 19960730 | 11 | US 5541097 A | Method for preparing immobilized enzyme conjugates and immobilized enzyme conjugates prepared thereby |
| 68 | 19951205 | 13 | US 5472861 A | Method for preparing immobilized enzyme conjugates and immobilized enzyme conjugates prepared thereby |
| 69 | 19950919 | 5 | US 5451413 A | Yeast derivative and method to improve bread quality |
| 70 | 19950725 | 17 | US 5436019 A | Method of preparing reduced fat foods |
| 71 | 19950613 | 7 | US 5424299 A | Composition and method for rejuvenating enteral feeding tubes |
| 72 | 19950207 | 13 | US 5387426 A | Method of preparing reduced fat foods |
| 73 | 19940830 | 5 | US 5342633 A | Process for the production of egg yolk with reduced cholesterol content |
| 74 | 19930216 | 4 | US 5187081 A | Process for preparing protease from <i>Endothia parasitica</i> using glucanases to reduce viscosity |
| 75 | 19921208 | 6 | US 5169771 A | Method for making a sedimentation resistant stable enzyme dispersion |
| 76 | 19921110 | 15 | US 5162210 A | Process for enzymatic hydrolysis of starch to glucose |
| 77 | 19920825 | 7 | US 5141860 A | Preparation of acylated sucrose derivatives |

| | Issue Date | Pages | Document ID | Title |
|----|------------|-------|--------------|--|
| 78 | 19911022 | 8 | US 5059430 A | Enzyme composition for retarding staling of baked goods |
| 79 | 19910716 | 4 | US 5032297 A | Enzymatically degradable fluid loss additive |
| 80 | 19901225 | 3 | US 4980180 A | Process for the removal of .beta.-cyclodextrin from egg yolk or egg yolk plasma |
| 81 | 19900116 | 8 | US 4894242 A | Nutritional rice milk product |
| 82 | 19891024 | 6 | US 4876096 A | Rice syrup sweetener |
| 83 | 19890530 | 5 | US 4834989 A | Method of producing a high fiber flaked cereal |
| 84 | 19890321 | 6 | US 4814267 A | Method for preparing high conversion syrups and other sweeteners |
| 85 | 19880712 | 6 | US 4756912 A | Rice syrup sweetener production |
| 86 | 19880517 | 8 | US 4744992 A | Nutritional rice milk production |
| 87 | 19871201 | 6 | US 4710386 A | All natural, ready-to-eat enzyme-saccharified cereal derived from whole cereal grain |
| 88 | 19870407 | 5 | US 4656040 A | Process for preparing an all grain, enzyme-saccharified cereal and product produced |
| 89 | 19861021 | 8 | US 4618579 A | Raw starch saccharification |
| 90 | 19851022 | 6 | US 4548727 A | Aqueous compositions containing stabilized enzymes |

| | | | | |
|----|----------|---|-----------------|---|
| 91 | 19850910 | 5 | US 4540585 A | Food products containing .alpha.- amylase and process |
|----|----------|---|-----------------|---|

| | Issue Date | Pages | Document ID | Title |
|-----|------------|-------|--------------|---|
| 92 | 19850521 | 9 | US 4518694 A | Aqueous compositions containing stabilized enzymes |
| 93 | 19840320 | 11 | US 4438196 A | Immobilization of biocatalysts on granular carbon |
| 94 | 19840306 | 6 | US 4435430 A | Enzyme-saccharified all natural, ready-to-eat cereal from whole cereal grain |
| 95 | 19840214 | 5 | US 4431674 A | Enzyme-saccharified all natural, ready-to-eat cereal derived from whole cereal grain |
| 96 | 19831220 | 9 | US 4421664 A | Compatible enzyme and oxidant bleaches containing cleaning composition |
| 97 | 19831122 | 18 | US 4416903 A | Antistaling baking composition |
| 98 | 19820316 | 13 | US 4320151 A | Antistaling baking composition |
| 99 | 19810331 | 16 | US 4259358 A | Preparation of food products |
| 100 | 19810217 | 8 | US 4251630 A | Preparation of malt high in alpha-1,6-hydrolase |
| 101 | 19801125 | 11 | US 4235970 A | Protease inactivated .alpha.-amylase preparations |
| 102 | 19790515 | 11 | US 4154815 A | Zinc and enzyme toothpowder dentifrice |
| 103 | 19790501 | 13 | US 4152418 A | Zinc and enzyme mouthwash and mouthwash concentrate for reducing dental plaque and calculus formation |
| 104 | 19780926 | 4 | US 4116772 A | Free-flowing fungal enzyme composition |

| | Issue Date | Page s | Document ID | Title |
|-----|---------------|-----------|-----------------|--|
| 105 | 19780926 | 9 | US 4116771 A | Immobilized saccharifying enzyme product and process for preparation thereof |
| 106 | 19780829 | 4 | US 4110163 A | Beta-glucanase |
| 107 | 19780725 | 11 | US 4102745 A | Process for producing dextrose using mixed immobilized enzymes |
| 108 | 19780404 | 12 | US 4082841 A | Dentifrice |
| 109 | 19770614 | 13 | US 4029546 A | Column apparatus and process for immobilized enzyme reactions |
| 110 | 19770607 | 6 | US 4028186 A | Process for the production of saccharified starch products |
| 111 | 19770308 | 10 | US 4011169 A | Stabilization and enhancement of enzymatic activity |
| 112 | 19770308 | 11 | US 4011137 A | Process for producing dextrose using mixed immobilized enzymes |
| 113 | 19760316 | 10 | US 3944470 A | Stabilization and enhancement of enzymatic activity |
| 114 | 19750325 | 4 | US 3873426 A | INSOLUBLE ENZYMES |
| 115 | 19741217 | 8 | US 3855142 A | ENZYMATIC DENTURE CLEANSER |
| 116 | 19740625 | 9 | US 3819528 A | STABILIZED AQUEOUS ENZYME COMPOSITIONS |
| 117 | 19711228 | 8 | US 3630844 A | STARCH CONVERSION SYRUPS |

| | Issue Date | Pages | Document ID | Title |
|----|------------|-------|-----------------------|--|
| 1 | 20051124 | 21 | US 2005026071 9 A1 | Method of producing saccharide preparations |
| 2 | 20050519 | 20 | US 2005010733 2 A1 | Starch process |
| 3 | 20050303 | 40 | US 2005004861 1 A1 | Polypeptides having alpha-amylase activity and polypeptides encoding same |
| 4 | 20050224 | 38 | US 2005004273 7 A1 | Starch process |
| 5 | 20041118 | 17 | US 2004022976 4 A1 | Fungamyl-like alpha-amylase variants |
| 6 | 20021107 | 23 | US 2002016472 3 A1 | Method of producing saccharide preparations |
| 7 | 20050816 | 25 | US 6929940 B1 | Polynucleotides encoding oxalate decarboxylase from Aspergillus niger and methods of use |
| 8 | 20011016 | 19 | US 6303346 B1 | Method of producing saccharide preparations |
| 9 | 20001024 | 15 | US 6136571 A | Method of producing saccharide preparations |
| 10 | 20001010 | 19 | US 6129788 A | Method of producing saccharide preparations |